

**hidrive**  
MAKE CERTAIN

# SERVICE BODIES FOR TRUCKS

Fit-for purpose. Compliant. Nationally.





"One of the reasons why mechanics join and stay at EMS is the gear we get to use, especially the vehicles. We couldn't be any happier with the Hidrive service bodies on the trucks and utes, they're so much easier and safer to work with."

Brody Bamkin, HD Mechanic, EMS

# NOT ALL SERVICE BODIES ARE CREATED EQUAL



## MAKE CERTAIN



EMS ordered its first Hidrive in 2008 (Hidrive was then known as Bosston). EMS now has over 50 utes and trucks with Hidrive service bodies. Learn from their video case study and others at [hidrive.com.au/case-studies](http://hidrive.com.au/case-studies)

### TABLE OF CONTENTS

6	Fit-for-purpose	18	4-step process	79	Sustainability
8	Unrivalled reliability	20	Truck class selection	80	Case studies
10	We build it different	25	Service body selection	82	Ute service bodies preview
12	We build it faster	34	Variations	84	Trailer service bodies preview
15	Made here, for certain	38	Fitout		
16	Customer Care	76	FleetBrand		

## THEY MADE CERTAIN

We've built over 21,000 service bodies since 1993.  
Here are some clients who made certain their service  
bodies were fit-for-purpose and built to last.





# FIT FOR YOUR PURPOSE

Our 270-strong team design, manufacture and install fit-for-purpose service bodies for utes, trailers and trucks, nationally, with certainty.



## A mobile workspace that's uniquely yours.

Jobs are always easier when your ute, trailer or truck is fitted out just for you. We take the time to listen and understand your trade. Then we make and fit what you need. This saves you time and daily hassles for years to come.



## Better resale - Hidrives go the distance.

Whilst our structural warranty is 3 years, we know of bodies that have lasted 15+ years and must have done over 1 million kilometres. Make certain your fleet is fit for your purpose for years to come - and get better resale value.



## Functional, inside and out, top to bottom.

Benefit from our experience tailoring our modular system for every industry, across over 21,000 service bodies we've built since 1993.

# YOUR 10 POINT FIT-FOR-PURPOSE CHECKLIST



## Is it aluminium?

Yes, for durability, the lowest weight and maximum payload - plus, it won't rust!



## Is it secure?

We're unaware of anyone successfully breaking into a Hidrive by prying the doors open.



## Are the doors sealed against weather and dust?

Yes, our external door seals prevent damage occurring when loading/unloading and provide a positive seal against rain and dust.



## Can you work out of it?

Gullwing doors shelter you from rain and sun.



## Will your gear be secure and organised?

Our canopies are flexible and can be configured just how you want them - your tools and gear won't move around during transit.



## Is it durable?

A Hidrive will not develop structural cracks or rust.



## Has it got integrated roof, ceiling, wall and underfloor fixing tracks?

Yes, you can add, shift or remove accessories without drilling.



## Do your ute, trailer and truck canopies look and function consistently?

Your fleet is fitted out to suit your trade and your team, nationally.



## Is it designed for maximum productivity?

Tailor your fitout with your choice from over 190 accessory types.



## Is it compliant?

Hidrive is ISO certified for quality, environment and safety.


**hidrive**  
MAKE CERTAIN



# UNRIVALLED RELIABILITY

Our light and durable aluminium truck canopies maximise available payload and have been continuously improved since the 1990s.

Engineered more like an aircraft fuselage than a traditional heavy steel box, Hidrive service bodies have been bulletproof in the field for decades making them Australia's most reliable.



**(A) Aluminium polymer co-bonded construction.** For the lightest possible weight, maximum vibration absorption, reliability and rust resistance.

**(B) Concealed dual action adjustable hinge.** Keeps moving parts out of the weather, provides world-class security and sealing at the top, bottom and sides.

**(C) Flush floor system.** Never jam your fingers against a floor lip again! Easier to unload, use sliders and drawers.

**(D) Internal, external & under tray integrated fixing tracks.** For easy accessory repositioning & avoiding the need to drill holes in your service body.

**(E) Contoured body.** A unique shape designed with modern vehicle aesthetics, aerodynamics and fuel efficiency in mind.

**(F) Sealed tight.** The door seal channels water away, helping keep your workspace dry while the door is open. And our positive sealing system seals against dust and water ingress when closed.

**(G) Underbody rope rails.** Integrated underbody rope rails are a standard inclusion on any Hidrive truck service body that includes a rear tray section, providing a safe and rigid tie-down point.

**(H) Security.** Single rotating lock handle with hardened locking rods and stainless steel striking plates offers unrivaled strength and security, giving you peace of mind.

Hidrive doors are also more easily replaceable than flush mounted designs.

**(I) Load handling equipment integration.** Hidrive truck service bodies are compatible with a range of load handling equipment including hydraulic cranes and tailgate loaders.

# WE BUILD IT DIFFERENT

Our truck service bodies are built independent of the truck chassis, providing improved lead-times, maintained integrity of the truck chassis and the potential to transfer your service body to a replacement truck.




**A** **Rigid floor with flexible engineered mounting system.** Hidrive truck service body subframes are rigid mounted at the back (where you need it) and flexible at the front to allow the truck chassis to flex without transferring excessive stress to the service body. For the ultimate in durability, the rear fish plates are tailored to your fitout, such as the combination towbar and crane base plate below.

**B** **Aluminium spacer.** The truck chassis and Hidrive steel subframe are separated by an aluminium spacer for lower weight and less wear on the surrounding structures.

**C** **Robust steel cross-bracing.** Optimised for torsional rigidity to ensure a long life for your service body on Australia's toughest roads.

**D** **Protective coating.** Your subframe is sand blasted and powder coated so you can be certain of rust protection, durability and world class aesthetics.




# WE BUILD IT FASTER




For 98% of trucks, we can make your subframe and service body before your truck arrives.

We've got Computer Aided Design (CAD) files for most trucks, so in most cases we don't need your truck on site until the service body is built and ready to be installed.

Depending on the complexity of your build, typically we will only require your truck on site for 2 - 3 weeks, to install the body, connect electrical components, add signage with your branding and complete a quality check.

All you need to do is drop your truck off at one of our locations in Sydney, Melbourne, Brisbane, Perth, Adelaide or Goulburn.





# WE MAKE MORE OURSELVES

**For consistency and national delivery.**

No other service body manufacturer designs, engineers and manufactures more service bodies or accessories than us. Your fleet can be completed faster, to meet your needs consistently, for years to come.

What we don't make, we source locally as much as possible. So, when you want to add more vehicles to your fleet in future years or need spare parts, we can make more, without overseas shipping delays or hoping some factory overseas still makes something that looks or fits the same. We make these 25 listed product groups (in various sizes) from scratch in NSW/WA.

- Canopies
- Subframes
- Shelves
- Drawers
- Sliders
- Towbars
- Vinyl signage (from a few stickers to a full wrap)
- Slide out work benches
- Side steps
- Crane bases
- Roof racks and roof bars
- Dividers (mesh and full panels)
- Custom roof shelves
- Guards
- Underbody boxes
- Underbody roller drawers
- Lockable boxes
- Roll over protection systems
- Ramps
- Bund trays
- Safety cone holders
- Gas bottle holders
- Fold down wheel carriers
- Jerry can holders
- Hinges, doors, spares and more!

# A ONE-STOP SHOP THAT DELIVERS NATIONALLY, WITH CERTAINTY

We're Australia's leading one-stop-shop for ute, trailer and truck service bodies. We offer over 190 different accessories so you can tailor your trailer to suit your needs. We fit everything from bullbars to towbars, and roof racks to safety steps – we can even design and install your signage.

Avoid the delays and hassles of dealing with multiple suppliers and let Hidrive take care of everything for you.

 WE MAKE MORE ACCESSORIES THAN ANY OTHER SERVICE BODY MANUFACTURER

 2000+ TAILORED VEHICLES EACH YEAR

 DEDICATED MOBILE WORKSPACE SPECIALISTS

 WE SAVE YOU TIME BY MAKING YOUR SERVICE BODY BEFORE YOUR VEHICLE ARRIVES

 IN-HOUSE DESIGN & ENGINEERING TEAMS

 ALL OUR FACILITIES ARE HIDRIVE-OWNED & WE'RE ISO CERTIFIED FOR QUALITY, ENVIRONMENT & SAFETY



## HIDRIVE TRIPLE ISO CERTIFICATION



Is ethical sourcing and risk-management a priority for your organisation? Hidrive offers world-class assurance.

In December 2023, Hidrive achieved a prestigious triple ISO certification encompassing ISO 9001 Quality Management, ISO 14001 Environmental Management and ISO 45001 Safety Management.

Hidrive is the first Australian manufacturer of service bodies to receive a triple ISO certification.

In attaining triple ISO certification, Hidrive met stringent international standards and demonstrated our commitment to consistent quality, environmental sustainability and workplace safety.

This milestone reinforces our reputation as an industry leader and sets a benchmark for excellence in the manufacturing of service bodies for utes, trailers and trucks.

## hidrive CustomerCare

### Customer Care & Technical Support

#### We make it easy from day one.

Once you've completed your consultations with your Mobile Workspace Specialist and placed your order, our team of 10+ full time Customer Care and Technical Support staff are there for you. They coordinate with your dealer, Fleet Management Organisation and our manufacturing team to provide:

- Accurate information on the status of your fleet project, using real-time information that is fed directly from our production system
- Live and transparent information on the location of all vehicles, stage of production and delivery timelines
- Weekly status report links that can be sent to all stakeholders

Hidrive is dedicated to providing the highest level of customer service to our clients throughout the journey of their fleet roll-out.



#### National Support Network

Hidrive provides your business with nationwide support. We have well-established installation and manufacturing locations and a national service network right across Australia.

#### Hidrive Serial Numbers

Every build has its own unique Hidrive serial number, enabling us to trace any service requirements back to the source with greater ease.

#### Ongoing Support

Need advice, service, parts or accessories? Our national team is in place to get you back on the road with minimal downtime.



# THE HIDRIVE 4-STEP PROCESS

## Step 1

Choose your Truck Class

## Step 2

Choose your Service Body

- Full canopy
- Part canopy
- Tool canopy
- U canopy

## Step 3

Service Body Variations

- Colour match paint
- Front ledge
- Side doors
- Rear doors

## Step 4

Fitout

- Service body protection
- Vents
- ROPS
- Equipment & load restraint
- Roof mounted accessories
- Tanks & bunds
- Underbody storage & infill panels
- Air, lube, fuel & reels
- Lift, hoist & hydraulic
- Towing & brake controls
- Vehicle accessories
- Site safety
- Fridges & slides
- Internal storage
- Work area accessories
- Floor coverings
- Battery, charge & volt control
- Plugs, switches & lockout
- Cameras & sensors
- Security, locking & warning
- Communications
- Lighting
- FleetBrand

To ensure your vehicle is fitted out for your purpose, the process starts with a free consultation with a Hidrive Mobile Workspace Specialist. Call 1300 350 625 to get started.



TOOL CANOPY

**STEP 2**

CHOOSE YOUR SERVICE BODY

ISUZU N SERIES SINGLE CAB

**STEP 1**

TRUCK CLASS SELECTION

**STEP 3**

SERVICE BODY VARIATIONS

**STEP 4**

FITOUT

THIS BODY HAS:

- MINE BAR
- AIR COMPRESSOR
- REEL RETRACTOR
- ONE-CLICK SHELVES & DRAWERS
- REDARC INVERTER
- UNDERBODY BOX
- HIAB CRANE
- CENTRE AISLE ROLLER SHUTTER
- LED WORKLIGHTS
- FIRE EXTINGUISHER BRACKET
- TOWBAR
- FOLDING ACCESS STEP
- FOLD DOWN VICE WITH COVER

# CHOOSING THE RIGHT VEHICLE

A Hidrive Mobile Workspace Specialist can assist you in choosing the right vehicle as the foundation for your mobile workforce, ensuring your team can complete their job as efficiently and safely as possible. We make service bodies for trucks up to 8t GVM. Let's discuss:

 YOUR  
INDUSTRY

 LOAD  
HANDLING

 INTERNAL OR  
EXTERNAL STORAGE

 PAYLOAD

 EQUIPMENT  
SPACE

 WORK  
ENVIRONMENT

 LICENCE TYPE

 CREW SIZE

When calculating your whole of life investment, it is important to remember that due to Hidrive's modular design - you can transfer your Hidrive onto another truck of the same (or potentially similar) dimensions. Contact your Hidrive Mobile Workspace Specialist for details.

## 4.5-5.5 TON TRUCK CLASS

The 4.5-5.5t truck class is the ideal upgrade from a ute, with overall physical dimensions being not much larger but the payload and tray size options allowing for more capacity. This entry level truck can also be driven on a standard car licence giving more flexibility to your team.

### MODEL VARIANTS

	MODEL	CAB TYPE	WHEELBASE	TRANS-MISSION	SERVICE BODY SIZE	
					LENGTH	WIDTH
 ISUZU	<b>NLR 45-150</b>	SINGLE	2490	MANUAL	3300	
			2490	AUTO	3300	1900
 HINO	<b>NLS45-150</b>	SINGLE	2750	MANUAL	3750	
			2765	MANUAL	3600	2200
 ISUZU	<b>NPR 45/55-150</b>	SINGLE	2765	AUTO	3600	
			2525	MANUAL	3300	1900
 HINO	<b>616 STANDARD</b>	SINGLE	2525	AUTO	3300	
			2810	AUTO	3750	2050
 HINO	<b>616 WIDE</b>	SINGLE	2810	MANUAL	3750	2050
			2810	MANUAL	3750	2050



 GVM  
4500 / 5500kg

 TRAY LENGTH  
3300 - 5250mm

 CRANE COMPATIBILITY  
CLASS A, B & C

 LICENCE  
4.5t DRIVEN ON CAR LICENCE

 2.5 X THE TYPICAL PAYLOAD OF A  
SINGLE CAB UTE





## 6.5-7.5 TON TRUCK CLASS

The 6.5-7.5t truck class, as the first full size light truck, is a good all round option. A light truck is still suitable for most heavy applications, offering increased payload and service body space. Your team will require an LR Licence (Light Rigid) to be able to operate this vehicle.

### MODEL VARIANTS

	MODEL	CAB TYPE	WHEELBASE	TRANS-MISSION	SERVICE BODY SIZE LENGTH	WIDTH
ISUZU	NPR 65/45-150	SINGLE	3365	MANUAL	4500	2200
			3365	AUTO	4500	
	NPR 75-190	SINGLE	3365	MANUAL	4500	2200
	716 WIDE	SINGLE	3430	AUTO	4650	2050
	717 WIDE	SINGLE	3430	MANUAL	4650	2050



**GVM**  
6500 / 7500kg

**TRAY LENGTH**  
3450 - 6000mm

**CRANE COMPATIBILITY**  
CLASS A, B & C

**LICENCE**  
REQUIRES LR LICENCE  
(LIGHT RIGID)

**SUITABLE FOR MOST HEAVY APPLICATIONS**

## 8.0 TON TRUCK CLASS

The 8.0t truck class is ideal for those who need more payload. This class offers increased payload compared to the 6.5/7.5t without any extra physical size. This full size light body does require a MR Licence (Medium Rigid) but is a versatile option, can accommodate most applications, has significant payload but still doesn't have a heavy vehicle feel.

### MODEL VARIANTS

	MODEL	CAB TYPE	WHEELBASE	TRANS-MISSION	SERVICE BODY SIZE LENGTH	WIDTH
ISUZU	NQR 87/80-190	SINGLE	3365	MANUAL	4500	2200
			3365	AUTO	4500	
HINO	920 WIDE	SINGLE	3500	MANUAL	4650	2200
			3500	AUTO	4650	



**GVM**  
8000kg

**TRAY LENGTH**  
4200 - 5850mm

**CRANE COMPATIBILITY**  
CLASS A,B,C,D & E

**LICENCE**  
REQUIRES MR LICENCE  
(MEDIUM RIGID)

**FULL SIZE LIGHT TRUCK**



# 4X4 TON TRUCK CLASS

4X4 truck class includes some light and heavy duty trucks, from 6.5t to 14.0t so your licence requirement will depend on the GVM of the vehicle you choose. Being 4x4 the deck height of the service body is increased so access steps are recommended, but they are ideal for remote off road applications and hard to access environments.

## MODEL VARIANTS

	MODEL	CAB TYPE	WHEELBASE	TRANS-MISSION	SERVICE BODY SIZE LENGTH	WIDTH
ISUZU	NPS 75/45-155	SINGLE	3395	MANUAL	4500	2200
			3395	AUTO	4500	
HINO	817 WIDE	SINGLE	3500	MANUAL	4650	2200



**GVM**  
6500 - 14,000kg

**TRAY LENGTH**  
3000 - 6000mm

**CRANE COMPATIBILITY**  
CLASS A,B,C,D & E

**LICENCE**  
CHECK SELECTED VEHICLE GVM TO DETERMINE LICENCE REQUIREMENTS

**IDEAL FOR OFF-ROAD AND REMOTE ACCESS**

## STEP 2

CHOOSE  
YOUR  
SERVICE  
BODY

# CHOOSING THE RIGHT SERVICE BODY

Check out all the service body types available. You'll be surprised what we can offer. Once you've had a look, please consult with a Hidrive Mobile Workspace Specialist.





## FULL CANOPY

Our most popular service body, the full canopy provides ample space to organise and secure all your gear and stock either inside or on the roof.

- + 4 - 5 door options
- + Dust and watertight
- + Maximum secured space
- + Slide out benches available
- + Gullwing doors for shelter from the elements
- + Maximises branding space



### FEATURED HIDRIVE

- STEP 1** Isuzu NQR 87/80 - 190 Single Cab
- STEP 2** Full canopy (H1250mm)
- STEP 3**
  - + Isuzu Arc White
  - + 5 gullwing doors
  - + Standard width rear door
- STEP 4** Accessories as shown, plus more Remote Hydraulic Technician fitout items listed above




## PART CANOPY

Nominate your canopy and tray length.  
Ideal for those who transport gas bottles or want a bed each way.

- + 2 and 4 door options
- + Best of both worlds
- + External accessory mounts
- + Good for high/bulky loads
- + Externally mount extinguishers
- + Keep dirty equipment out of your canopy
- + Space to fit a crane & controller



Height	Part Canopy Length	4.5t Narrow Tray Length	4.5/5.5t Tray Length	6.5/7.5t Tray Length	8/8.5t Tray Length	4x4 Tray Length
1100, 1250, 1400	1800 / 2400	3300, 3600, 3750	3000, 3600, 3750	3450, 3600, 3750		
	2400 / 2850			3900, 4200, 4350, 4500, 4650	4500, 4650	4500, 4650



Multiple accessories shown. Consult a Hidrive Mobile Workspace Specialist for details.

### FEATURED HIDRIVE

**STEP 1** Hino 616 Wide Single Cab

**STEP 2** Part canopy

**STEP 3** + Hino White  
+ Bi-fold side doors

**STEP 4** Accessories as shown



## TOOL CANOPY

Maximum length centre aisle for longer items, or tools you'd prefer to keep out of your canopy, such as a diesel compressor. The aisle can still be secured with a centre aisle roller shutter as pictured. The flush floored tool boxes are ideal for slide out benches / drawers and eliminate a dangerous floor lip pinch point.


+ 2 and 4 door options

+ Secure tool sections

+ Lighter than tray & box combo

+ Maximises available payload

+ Maximises vertical flexibility




### FEATURED HIDRIVE

**STEP 1** Hino 921 Series Single Cab

**STEP 2** Tool canopy

**STEP 3** + Hino White  
+ Front ledge  
+ Gullwing side doors

**STEP 4** Accessories as shown

**STEP 2**

## U CANOPY

A great mix of the advantages of part/tool canopies. Outside, there's aisle space for items such as compressors, plus a flexible rear tray area. Inside, you have more depth than a tool canopy, enabling you to secure stock and larger items such as:

- + Deeper drawers
- + Spare wheels & wheel lifts
- + Site signage / lollipop signs
- + Slide out fridge / generator
- + Large tools



Height	U Canopy Length	4.5t Narrow Tray Length	4.5/5.5t Tray Length	6.5/7.5t Tray Length	8/8.5t Tray Length	4x4 Tray Length
1000, 1100	2400 / 2850	3300, 3600, 3750	3000, 3600, 3750	3450, 3600, 3750		
	2850 / 3300			3900, 4200, 4350, 4500, 4650	4500, 4650	4500, 4650



Multiple accessories shown. Consult a Hidrive Mobile Workspace Specialist for details.

### FEATURED HIDRIVE

**STEP 1** Hino 921 Series Single Cab

**STEP 2** U canopy

**STEP 3** + Hino White  
+ Front ledge  
+ Gullwing side doors

**STEP 4** Accessories as shown

# STEP 3

SERVICE  
BODY  
VARIATIONS

## TAILOR YOUR WORKSPACE

**Variations** are choices to be made before we fabricate your service body.



## COLOUR MATCH PAINT

We paint match your service body to your vehicle using automotive grade 2K paint. Getting this right impacts the impression of your brand with potential staff and customers for years to come. Don't risk the first impressions you make!

Never assume all service body manufacturers do paint matching. Why risk the perception of your brand with a supplier that imports pre-painted panels or does not have an inhouse ISO9001 quality certified paint-shop.




## FRONT LEDGE

Tray space at the front of the canopy, behind the cab.

A convenient place to locate items requiring ventilation such as compressors and generators. Keeps them out of harms way when loading the rear tray section. Customers often choose a 600mm ledge if mounting heavy items such as compressors. Customers who simply want to store thin items such as gas bottles and a vice can choose a 300mm ledge.

Popular on full canopies so you can have tray space and still have a rear door.





## SIDE DOORS

All service bodies come standard with a left and right gullwing door. Here are some other options:

### Bi-Fold Door

Ideal for roadside work, or if you often park in tight spaces.


### Extra Side Door

Additional side doors can be added to your service body to provide access to different parts of the body.

### Extra Side Door with Sealed Divider

Creates sectioned off sealed internal compartment. The sealed compartment is recommended for teams that require separate wet and dry areas when on site.

It is great to have an area that can separately unlock. It's handy to have an area with a fridge & fire extinguisher unlocked, whilst keeping tool & stock secure.



## REAR DOORS (FOR FULL CANOPY)

Upgrade from no rear door to either a standard width or part width rear door for optimum access for your trade.

Book an appointment with a Mobile Workspace Specialist to request detailed dimensions and help with making the right choice.

# ACCESSORIES TO GET THE JOB DONE RIGHT

**Complete your fitout.** Engineered for performance and designed to integrate perfectly, our accessories are critical to ensuring your mobile workspace is fit-for-purpose.



<b>Service Body Protection</b> ... 40	<b>Underbody Storage and Infill Panels</b> ..... 49	<b>Fridges and Slides</b> ..... 56	<b>Plugs, Switches and Lockout</b> ..... 68
- Chequer Plate Protection	- Underbody Box	- One-Click Slide	- Jumpstart Receptacle
- Paint Protection	- Shovel Slot	- Fridge Restraint	- Dual Battery Starter Override
- Dropside Protective Covering		- Workbench Top	- Anderson Plug Connectors
<b>Vents</b> ..... 41		- Fridges & Ice Boxes	- Power Isolation and Override
<b>ROPS</b> ..... 41		- Transit Bag	- Isolation and Jumpstart kit
<b>Equipment and Load Restraint</b> ..... 42		- Fridge Protection	- Power Outlets
- Rear Aisle Door	- Aux. Air Tanks	- Dropdown Fridge Slide	- Trailer Plugs
- Sliding Aisle Cover	- Lines, Reels & Fittings	- Gas Bottle Restraint	- Switches
- Aisle Divider			
- Roller Shutters			
- Headboard			
- Load Covers			
- Jerry Can Holder			
- Gas Bottle Holder			
- Lockable Gas Bottle Holder			
- Load Restraint Track			
- Body Mounted Restraint Points			
- Tray Mounted Restraint Points			
- Spare Wheel Carrier			
- Ratchet & Camlock Straps			
- Shovel Holders			
<b>Roof Mounted Accessories</b> ..... 45			
- Pipe Rack			
- Roof Bars			
- Ladder Roller			
- Ladder Slides			
- Roof Bar Riser			
- Roof Bar Cab Mount			
- Stacking Bracket			
- Conduit Carriers			
- Conduit Support Bracket			
- Storage Pod			
- Adjustable Rear Racks			
- Ladder Cable Lock			
<b>Tanks and Bunds</b> ..... 48			
- Underbody Water Tanks			
- Traymount Tanks			
- Headboard Water Tanks			
- Pumps			
<b>Air, Lube, Fuel and Reel</b> ..... 50			
- Air Compressors (Diesel, Petrol, Electric)			
- Aux. Air Tanks			
- Lines, Reels & Fittings			
<b>Lift, Hoist and Hydraulic</b> ..... 51			
- Hydraulic Cranes			
- Crane Bases			
- Tailgate Loaders			
<b>Towing and Brake Controls</b> ..... 52			
- Towbars			
- Towing Hitches			
- Towpro			
- Brake Monitor			
- Trailer Sockets			
<b>Vehicle Accessories</b> ..... 52			
- Rated Recovery Points			
- Winches			
- Seat Covers			
<b>Site Safety</b> ..... 53			
- Heated Handwash			
- First Aid Kits			
- Spill Kits			
- Safety Cone Brackets			
- Whip Aerials			
- Fire Extinguishers			
- Wheel Nut Indicators			
- Wheel Chocks			
- Folding Access Step			
- Fold Down Platform Step			
- Fixed Side Steps			
- Rear Steps			
- Grab Handles			
- Safety Handrails			
<b>Work Area Accessories</b> ..... 64			
- Vice - Fold Down			
- Vice - Sliding			
- Vice Covers			
- Flush Fold Down Workbench			
<b>Floor Coverings</b> ..... 65			
- Rubber Matting			
- Carpet			
<b>Battery, Charge and Volt Control</b> ..... 66			
- Dual Batteries			
- Inverters			
- Solar Panels			
- Jump Packs			
- Booster Cables			
- Battery Boxes			
<b>Cameras and Sensors</b> ..... 69			
- Reverse Cameras			
- Reverse Sensors & Alarms			
<b>Security Locking and Warning</b> ..... 70			
- Light Lock & Go (Central Locking, Door Ajar Alarm & Lighting)			
- Security Alarms			
- Central Locking			
- Warning Alarms			
<b>Communications</b> ..... 71			
- UHF & VHF			
- Antennas & Cable			
- Phone Cradles			
- Mobile & Cellular			
<b>Lighting</b> ..... 72			
- Mine Bars			
- Beacons & Strobes			
- Minibars			
- Lightbars			
- Flashers			
- Door Safety Marker			
- Signal Lights			
- Worklights			
- Aux Reverse Light			
- Interior Lights			
<b>FleetBrand™</b> ..... 76			
- Vehicle Signage			
- Compliance Decals			
- Call Signs			
- Chevrons			
- Conspicuity Tape			

# Service Body Protection



## Chequer Plate Protection

H600mm chequer plate.  
Protects external painted surfaces from tools of trade and equipment.



## Paint Protection Film

H750mm paint protection film.  
Protect the work and load zone of external painted surfaces from scuffs, stains and paint damage.



## Dropside Protective Covering

Black poly edging. Protection from paint chipping and dents for a more professional look in front of clients. Boosts resale value and helps items slide over the dropside edges.

# Vents



## Floor Vent

Air vent for additional fresh air ventilation through the floor.



## Aero Roof Vent, Venturi Type

Venturi style air vent for additional fresh air ventilation.



## Louvre Vent


Slim-lined, surface-mounted vent for side applications.

# ROPS



## ROPS Cell, Vehicle Specific

Roll over protection cell for safe compliant access to work sites. Only available on single cab truck variants.



# Equipment & Load Restraint



## Rear Aisle Door

- Alloy Mesh
- Full Panel


Full panel or mesh door to rear of centre aisle, lift-off hinges allow easy removal of door when unlocked. Various widths.



## Sliding Aisle Cover

- Alloy Mesh
- Full Panel

Full panel or mesh panel fitted to top opening of centre aisle. Slides out to rear for easy removal. Various widths.



## Removable Tool Canopy & U Canopy Aisle Divider

Removable alloy mesh divider panel in centre aisle to assist with separating and securing the load.



## Centre Aisle Roller Shutter

<input type="checkbox"/> W650mm	<input type="checkbox"/> W850mm
<input type="checkbox"/> W700mm	<input type="checkbox"/> W1000mm

Centre aisle roller shutter, neutral aluminium finish.



## Headboard

Modular headboard provides protection for the vehicle from load items contained within the tray area.



## Load Covers

<input type="checkbox"/> Rear Tray & Aisle (above)	<input type="checkbox"/> Tonneau Full Aisle Cover Zippered (above)
<input type="checkbox"/> Rear Tray (right)	

Mesh load covers for securing items in the external tray section. Suitable for part canopy, tool canopy & u canopy service bodies. Custom made to be compatible with the other Hidrive accessories on your tray e.g. fire extinguishers.



## Jerrycan Safety Holder

Jerrycan safety restraint with provision for chain and padlock. Mounted to strut restraint rail.



## Gas Bottle Holder

Gas bottle restraint with adjustable restraint straps to safely restrain single gas bottles up to 300mm diameter. Mounted to strut restraint rail.



## Lockable Gas Bottle Holder

<input type="checkbox"/> SML/MED to suit D size gas bottles
<input type="checkbox"/> LRG to suit E size gas bottles


Secure storage of bottles with adjustable restraint to suit two bottles.

## Equipment & Load Restraint Cont.



### Load Restraint Track & Lug Kit

Load restraint tracks fitted to body including 4 piece adjustable / removable anchor points. Available in a range of lengths for different body configurations.



### Strut Mounts

Integrated Hidrive strut, per metre, fitted. Restraint rail fixed to body, accommodates adjustable eye bolts for equipment restraint.

Available with optional rubber inserts to stop items rubbing on paintwork (see image below).



### Tray Mounted Restraint Points

- Flush lashing ring with black deck
- Heavy duty recessed lashing ring

Can be fitted to rear tray sections to secure load.

**Note:** Rated Tray Lashing also available on request.



### Spare Wheel Carrier, Lockable

- Fixed

Lockable spare wheel restraint for safe installation and removal of spare wheel. Adjustable for various wheel sizes.



### Camlock Strap, Ladder Strap With Snaphook

Quick release cambuckle strap for ladder restraint.



### Ratchet Strap, Tie Down

- Standard 25mm x 3m (250kg capacity)
- Bolt on 25mm x 1.8m (350kg capacity)
- S Hook 25mm x 4.5m (350kg capacity)

Heavy duty polyester black load restraint strap. Compliant to Aust. & NZ Standard AS/NZS 4380 2001.



### Shovel Holders

Adjustable for safe, secure restraint of shovel or like-type tools.

## Roof Mounted Accessories



### Pipe Rack

- W450 x L2400mm
- W450 x L3200mm
- W450 x L4500mm

Provides additional roof mounted storage ideal for carrying longer items such as pipes. Constructed similar to the Hidrive trades rack, the pipe rack has full length side rail ideal for securing your load. Compatible with Hidrive accessories.

# Roof Mounted Accessories Cont.


**Commercial Roof Bar**

- 570mm
- 1500mm
- 1950mm
- 1250mm
- 1650mm
- 2100mm
- 1375mm
- 1800mm

Heavy duty commercial roof bar including mounting feet. Features integrated accessory fixing strut to accommodate accessories.


**Standard Commercial Roof Bar Kits**

- 3 pce
- 4 pce

Heavy duty commercial roof bars, including mounting feet. Features integrated fixing strut to accommodate fitout items. See website for available widths.


**Commercial Roof Bar Kit (Tool / U Canopy)**

Heavy duty commercial roof bar 5 pce kit including mounting feet. Features integrated accessory fixing strut to accommodate accessories.


**Roof Bar Riser**

- Front
- Rear
- Intermediate

Enables positioning of commercial roof bars on an angle to assist with loading/unloading materials. Adjustable so angles can be altered for your application.


**Roof Bar Cab Mount**

Single roof bar that mounts to the OEM provided roof mounted fixing points. Enables support of accessories positioned over the cab.



**Stacking Bracket**

Create angled storage with stacking brackets mounted to the tray and roof.


**Conduit Carrier, With Locking Caps**

- 100 Dia x L3100mm
- 100 Dia x L4100mm
- 150 Dia x L3100mm
- 150 Dia x L4100mm

Conduit carrier with locking end caps.


**Conduit Support Bracket**

- Suits 100 Dia x L3100mm
- Suits 100 Dia x L4100mm
- Suits 150 Dia x L3100mm
- Suits 150 Dia x L4100mm

Bracket to support longer conduit carriers that overhang the vehicle cab.


**Ladder Roller**

- L600mm
- L1200mm

Compatible with Hidrive commercial roof bars. Provides easy storage of extension or step ladders onto roof bars or racks.


**Step Ladder Slide With Roller**

- 2.6m

Incorporates restraint strap, ladder hooks and roller for easy ladder storage. Anti theft ladder cable lock also available.


**Extension Ladder Slide With Roller**

- 3.0m

Incorporates restraint strap, ladder hooks and roller for easy ladder storage. Anti theft ladder cable lock also available.


**Storage Pod**

- L1500 x W400 x H150mm
- L1950 x W400 x H150mm
- L2400 x W400 x H150mm

Roof mounted horizontal storage pod for longer items.

Key Lockable.


**Adjustable Rear Racks**

- H700 - 1000mm
- H1000 - 1400mm

Full width removable rear rack for truck bodies, includes two uprights only - requires commercial roof bar.


**Ladder Cable Lock**

Anti theft ladder cable lock, compatible with ladder slides and commercial roof bars.

# Tanks & Bunds




**Underbody Poly Water Tank, 15L, Soap Dispenser**

15L underbody water tank with soap dispenser.



**Underbody Poly Water Tank, 60L, Soap Dispenser**

60L underbody water tank with soap dispenser.



**Custom Bunds**

Made to suit. Contains liquids for easy clean up and a compliant, professional mobile workspace.



**Traymount Poly Tank, 100L**

L290 x W510 x H720

Traymount poly water Tank, 100L capacity.



**Headboard Water Tank, 35L**

35L water tank, positioned to the front headboard of service body.




**Pumps**

- Low Pressure 12V 3.8lpm/30psi
- High Pressure 12V 11lpm/45psi
- Low Pressure 24V 11lpm/30psi
- High Pressure 24V 13lpm/45psi

Reliable compact water pump that provides water delivery from onboard water tanks.


# Underbody Storage & Infill Panels



**Underbody Box**

<input type="checkbox"/> L450 x W300 x H450 mm	<input type="checkbox"/> L900 x W300 x H450
<input type="checkbox"/> L600 x W300 x H450mm	<input type="checkbox"/> L1200 x W300 x H450
<input type="checkbox"/> L750 x W300 x H450mm	


Truck underbody aluminum box, available in a range of sizes, are lockable and offer an additional secure storage space, making good use of under body space.



**Shovel Slot, Across Tray**

Size: W350 x L1800 x H150mm

Across tray underbody shovel slot, fitted under the body of your truck. Ideal for storing shovels, crowbars, etc.



**Shovel Slot, Across Tray**

# Air, Lube, Fuel & Reels



## Diesel Air Compressor Traditional

- 350lpm/100psi  720lpm/150psi
- 545lpm/150psi  1050lpm/150psi

## Petrol Air Compressor Traditional

- 350lpm/100psi  545lpm/150psi

Traditional style compressors are the work horse compressor. Their large air storage tank means that a work area can be blown down with the stored air without the need to start the compressor.



## Diesel Air Compressor Upright Under/Over

- 350lpm/100psi  720lpm/150psi
- 545lpm/150psi

## Petrol Air Compressor Upright Under/Over

- 350lpm/100psi  545lpm/150psi

The upright over/under style are the perfect high performing compressor when space is limited. Great on the front tray area or the aisle of a service body.



## Diesel Air Compressor SMAC

- 1132lpm/100psi

The SMAC rotary screw compressor is the ultimate air supply for a mobile workspace. Delivering an impressive 1132lpm at 100psi, it will keep up with the most demanding of mobile mechanic applications.



## Retractable Reel Options

- Air Reel, Retracta 10mm x 15m
- Water Reel, Retracta, 12.5mm x 15m
- Air Reel, Retracta 12.5mm x 15m
- Oil Reel, Retracta, 12.5mm x 10m
- Air/Water Reel, Lubemate, 10mm x 14m
- Grease Reel, Retracta 6.5mm x 15m
- Oxy/Acet Reel, Retracta, 2x5mm x 15m


- Grease Reel, Retracta 6.5mm x 15m
- Retracting hose reels include installation bracket.



## DC Electric Air Compressor With Air Tank

- 12V Air Comp. 135lpm/29psi, 18L tank
- 24V Air Comp. 135lpm/29psi, 18L tank
- 24V Air Comp. 226lpm/100psi, 18L tank
- Portable 12V Air Comp

DC onboard air compressors, includes installation, plumbing, electrical cabling, switching and circuit protection.



## Aux. Air Tanks

### 18L AUX Air tank

Auxiliary air tanks provide extra capacity air storage allowing your compressor to cycle on and off less frequently. Compact design allows for flexible mounting positions.

# Lift, Hoist & Hydraulic



Hidrive offer a world-class selection of cranes for your truck and engineer the crane bases to suit. Discuss your options with a Hidrive Mobile Workspace Specialist.



## HIAB Cranes

Hiab cranes are a supplier of choice for light truck cranes, with Hiab being our clients' first brand of choice for most Hidrive service body installations.

Model	Capacity ton/m	Control Type	Jib Extensions	Integrated Stability Control	Max lift at min reach	Max reach with manual ext.	Max lift at max reach	Power Source
T-CLX 013-3	1.2	Manual or Remote	4 hydraulic	No	840	4200	250	24V Powerpack
T-CLX 018-3	1.9	Manual or Remote	4 hydraulic	No	995	4100	430	24V Powerpack
T-CLX 023-3	2.4	Manual or Remote	4 hyd + 1 manual	Yes	995	5500	410	24V Powerpack or PTO
T-HIDUO 029-3	2.7	Radio remote	4 hyd + 1 manual	Yes	1840	5500	440	PTO
T-HIDUO 038-4	2.5	Radio remote	4 hyd + 1 manual	Yes	2200	6000	540	PTO



## Kevrek Cranes

Kevrek are your Australian made option for light truck cranes, and are available in a configuration to meet many lifting and loading applications. Hidrive offers service body solutions compatible with the 550S, 1000S and 1500S Kevrek crane options. Choose a Kevrek crane to suit your mobile workforce needs.



Model	Capacity ton/m	Control Type	Jib Extensions	Integrated Stability Control	Max lift at min reach	Max reach with manual ext.	Max lift at max reach	Power Source
550S	0.5	Manual or Remote	3 hyd	No	550	2520	225	12V or 24V Powerpack
1000S	1.25	Manual or Remote	2 hyd + 1 manual	No	990	4000	310	12V or 24V Powerpack
1500S	1.50	Manual or Remote	2 hyd + 1 manual	No	990	4000	375	12V or 24V Powerpack



## Crane Bases

### Features:

- 1 or 2 tiltable manual or hydraulic stabilisers (depending on crane class)
- Extendable stabilisers with primary and secondary latching
- Transport stowage alarms wired to audible and visual alarm in vehicle cab

The Hidrive integrated crane base is an engineered crane base that integrates with the service body. Available for a variety of vehicle model variants the Hidrive integrated crane base provides the optimal level of operator safety and efficiency.

# Towing & Brake Controls

		
<b>Towbar, Vehicle Specific</b> <p>Compatible with Hidrive service body, available in 3500kg and 4500kg options depending on your vehicle towing capabilities. Includes OEM wiring harness and compatible outlet socket.</p>	<b>Towing Hitches</b> <p>Compatible with Hidrive service body, includes 50mm square hitch and ball, OEM wiring harness and compatible outlet socket.</p>	<b>Tow Hitch, Additional Ball/Receiver</b> <p>Additional tow hitch in 50mm and 70mm variants available, allows changes of towing capacity depending on application.</p>

		
<b>REDARC TowPro Trailer Brake Controller</b> <p>REDARC Towpro electric brake controller with proportional and user controlled modes.</p>	<b>REDARC Trailer Brakeaway Monitor</b> <p>Accurately monitors trailer breakaway system battery condition.</p>	<b>Trailer Sockets</b> <ul style="list-style-type: none"> <li><input type="checkbox"/> Trailer Socket, 7 pin (round)</li> <li><input type="checkbox"/> Trailer Socket, 7 pin (flat)</li> <li><input type="checkbox"/> Trailer Socket, 12 pin (flat)</li> </ul> <p>Easy attachment. Ensures a safe connection when towing trailers.</p>

# Vehicle Accessories

		
<b>Recovery Points</b> <ul style="list-style-type: none"> <li><input type="checkbox"/> Front Rated Recovery Point</li> <li><input type="checkbox"/> Towbar Recovery Point</li> </ul> <p>Front or rear recovery points for vehicle recovery.</p>	<b>Recovery Winch</b> <p>Range of Warn™ recovery winches. Requires compatible frontal protection (bullbar or similar).</p>	<b>Heavy Duty Canvas Seat Covers</b> <p>Protect your vehicle seats with tough canvas seat covers. Compliant with OEM vehicle safety features.</p>

# Site Safety

		
<b>Heated Hand Wash</b> <ul style="list-style-type: none"> <li><input type="checkbox"/> 6L 12V</li> <li><input type="checkbox"/> 6L 24V</li> </ul> <p>Heated hand wash unit for safety and hygiene in the field.</p>	<b>First Aid Kit</b> <ul style="list-style-type: none"> <li><input type="checkbox"/> R1 Level 1</li> <li><input type="checkbox"/> R2 Remote Level 2</li> </ul> <p>Complies with WHS requirements for workplaces.</p>	<b>Spill Kit, Industrial, 15L</b> <p>General purpose oil &amp; chemical spill kit.</p>
		

	
<b>Whip Aerial, Full LED Safety Stick, With Detachable Base</b> <ul style="list-style-type: none"> <li><input type="checkbox"/> 1.2m</li> </ul> <p>Full pole LED lightstick for on-site safety and compliance. Detachable base and power socket.</p>	<b>Safety Cone Bracket, Tray Mount</b> <p>Tray mounted safety cone holder, 700mm, includes a tray with quick release straps to ensure your safety cones are stored safely.</p>


# Site Safety Cont.



## Fire Extinguisher, DCP & Bracket

- 1.5kg
- 2.5kg
- 4.5kg
- 9.0kg

DCP Extinguisher includes quick release vehicle bracket.



## Wheel Nut Indicators

41mm indicators, essential for mining and civil compliance.



## Wheel Chocks & Bracket

- 750mm rolling diameter
- 950mm rolling diameter
- 1400mm rolling diameter

With stainless steel quick release bracket.



## Folding Access Step

- W400 x H600mm
- W400 x H900mm
- W600 x H600mm


Folding access step, in safety yellow, includes a 3 tier fold down step with anti slip finish on treads and LHS and RHS grab handle mullions to ensure 3 points of contact are maintained while accessing rear tray section.



## Fold Down Safety Platform Step

- L900mm, single action step
- L1800mm, single action step

Customised to suit your underbody configuration. Safe, easy access to upper storage areas. Safety yellow with anti slip finish on treads. Compatible with fold-down step alarm.



## GEN2 Side Step, Underbody

- W340 x H515 - 615mm

GEN 2 side step, 2 tier with adjustable lower step, helps ensure the step is at a safe height on any vehicle. Includes non-slip tread in a safety yellow finish.



## Rear Towbar Step

Removable rear step, suits Hidrive truck towbar, sockets into main cross member of towbar.



## Rear Fixed Step, 500x25mm

Hi-Vis safety colour. Fitted in place of towball. Assists safe access to rear tray area and rear roof accessories.



## Grab Handle, Fitted To Body

- 200mm, black
- 300mm, safety yellow

Safety grab handles provide additional point of contact to assist to step safety.



## Safety Handrails

Safety handrails to tray section, modular removable sections, safety yellow finish. Available as both a folding and drop-in handrail sections, all 900mm high.

# Fridges & Slides



## One-Click Medium Duty Slides


- W460 x L640mm
- W460 x L810mm
- W460 x L1050mm
- W690 x L520mm
- W690 x L810mm
- W690 x L1050mm
- W920 x L520mm

Improves the organisation, ergonomics and accessibility of your mobile workspace.



## Fridge Restraint Kits

To suit all variants of One-Click medium duty slides. Restraint kit sizing is suitable for the current Engel fridge or freezer and fridge/freezer Combi.



## Workbench Top

To suit all variants of One-Click medium duty slides. Each One-Click medium duty slide has a compatible work bench top option, creating a uniform and organised mobile workspace.

<b>Engel™ Fridge Or Freezer</b> <ul style="list-style-type: none"> <li><input type="checkbox"/> 14L</li> <li><input type="checkbox"/> 32L</li> <li><input type="checkbox"/> 39L</li> <li><input type="checkbox"/> 40L</li> <li><input type="checkbox"/> 57L</li> <li><input type="checkbox"/> 60L</li> <li><input type="checkbox"/> 75L</li> <li><input type="checkbox"/> 80L</li> </ul> <p>Proven Engel technology with Sawafuji swing motor.</p>	<b>Fridge Transit Bags</b> <ul style="list-style-type: none"> <li><input type="checkbox"/> 35L Fridge or Freezer</li> <li><input type="checkbox"/> 38L Fridge or Freezer</li> <li><input type="checkbox"/> 39L/40L Combi Fridge Freezer</li> <li><input type="checkbox"/> 57L/60L Combi Fridge Freezer</li> <li><input type="checkbox"/> 75L/80L Combi Fridge Freezer</li> </ul> <p>Engel fridge bags protect fridges whilst on the worksite and in transit.</p>	<b>Fridge Protection</b> <p>Adjustable fridge protection - compatible with relevant Hidrive medium duty slides &amp; fridge restraint kits.</p>



## Drawer Fridge, Engel™

A cost effective and compact solution. Includes a compressor, mounted to the rear of the fridge. Features temperature control with continuously variable thermostat to help energy efficiency.



## Drawer Fridge Protection Barriers

Protect drawer fridge on the worksite and whilst in transit. Enables fridge to be stacked with compatible One-Click drawers.



## Dometic™, 33L Cool Ice Icebox With Restraining Bracket

Tough and easy to clean. Seamless construction with drain plug, includes restraining bracket.



## Dropdown Fridge Slide

Provides a safe and easily accessible fridge height. Clearview Easy Slide® shown.



## Sideways Gas Bottle Slide

- One-Click Slide: W460 x L1050mm Holds 3 x 300mm gas bottles
- W460 x L640mm Holds 2 x 300mm gas bottles

Ergonomic slide out gas bottle restraint to allow safe access to gas bottles utilising One-Click slide feature.

# Internal Storage



## Tripod Rack

- 2 slot L1200 x W460 x H230mm
- 4 slot L1200 x W920 x H230mm

Tripod rack to accommodate either 2 or 4 tripods for safe storage of tripods.



## Internal Roof Shelf, Mesh Panel Type

- L520 x W1210mm
- L750 x W800mm
- L980 x W800mm
- L1210 x W800mm
- L1475 x W800mm
- L1705 x W800mm
- L1935 x W800mm
- Custom

Modular, strong and lightweight construction makes economical use of internal roof storage space. Compatible with One-Click shelving.

**1**

**2**

## One-Click Shelving, 3 Tier Kit

Available in a range of standard sizes, in single and double bay combinations. Sizes are designed for optimal compatibility with Hidrive service bodies and other internal fitout options. The shelving kits are compatible with the One-Click vehicle drawers, One-Click parts cabinets, mesh dividers and mesh roof shelves. This allows for consistent fitouts that provide secure and reliable storage for your equipment and materials. Each kit comes standard with three x shelves that can be easily adjusted to suit your requirements.

	Length	Bays	Shelf Length
<b>1</b>	520mm	1	460mm
	750mm	1	690mm
	980mm	1	920mm
	1200mm	1	1150mm
<b>2</b>	1475mm	2	690mm
	1475mm	2 Unequal Bays	460mm 920mm
	1705mm	2 Unequal Bays	690mm 920mm
	1935mm	2	920mm

## One-Click Shelving Support/Divider

- Tool canopy kit
- Full/part canopy & u canopy kit (includes top cross member.)


Intermediate shelving support. Accommodates One-Click adjustable tool canopy shelves.

## One-Click Adjustable Shelves

- W310mm x variable length
- W410mm x variable length

Compatible with One-Click drawers, parts cabinets and parts bin kits (not included).

# Internal Storage Cont.



## One-Click Vehicle Drawer

Compatible with Hidrive One-Click shelving and parts cabinet options. The drawers feature our One-Click single hand operation latch, a 20kg safe work load and are powder coated to ensure long-term durability.

	Tier	Width	Length	Height
1	1	460mm	475mm	135mm
2	1	690mm	475mm	180mm
3	1	920mm	475mm	180mm
4	1	460mm	475mm	270mm
5	1	460mm	810mm	270mm
6	2	460mm	475mm	270mm
7	2	690mm	475mm	270mm
8	2	460mm	810mm	270mm
9	2	460mm	475mm	315mm
10	4	460mm	475mm	495mm
11	4	690mm	475mm	495mm
12	4	920mm	475mm	495mm



## Mechanics Drawer, 690x475x405mm, 4 Tier

- 3 x 70mm drawers
- 1 x 130mm drawers
- Commercial vehicle drawer unit.
- 4 drawers with heavy duty slides and latch operation.



## One-Click IT Drawer Insert

Suits 460x475x85mm One-Click drawer. Provides safe and convenient storage for IT equipment or sensitive items. Also available in 690 and 920mm widths.



## One-Click Vehicle Drawer Dividers

- 460 x 475 x 85mm Drawers
- 690 x 475 x 85mm Drawers
- 920 x 475 x 85mm Drawers
- 920 x 475 x 130mm Drawers
- 460 x 810 x 85mm Drawers
- 460 x 810 x 130mm Drawers

Steel drawer insert with multiple adjustable or removable divider positions.



These parts cabinets are removable for optimal productivity.





## One-Click Stackable Parts Cabinets

One-Click stackable parts cabinets are the ideal storage solution for small parts and consumables. With the removal storage trays featuring removable/adjustable dividers and an ergonomic carry handle, these cases allow you to take your materials with you, greatly improving efficiencies.

	Tier	Width	Length	Height
1	2	460mm	475mm	225mm
2	3	460mm	475mm	315mm
3	4	460mm	475mm	405mm
4	5	460mm	475mm	495mm

# Internal Storage Cont.

 <p><b>Top Pan, Compatible with One-Click Drawer and Cabinet Units</b></p> <p><input type="checkbox"/> 460 x 475mm <input type="checkbox"/> 920 x 475mm  <input type="checkbox"/> 690 x 475mm <input type="checkbox"/> 1150 x 475mm  <input type="checkbox"/> 810 x 460mm</p> <p>Modular top pan, 40mm deep for storage of tools and equipment. Ask about anti-slip rubber mats - cut to suit.</p>	 <p><b>One-Click, Lockable Compartment</b></p> <p><input type="checkbox"/> L460 x D400 x H270mm  <input type="checkbox"/> L690 x D400 x H270mm</p> <p>Enclosed lockable box compatible with One-Click shelving.</p>	 <p><b>One-Click Adjustable Cable Reel Holder</b></p> <p><input type="checkbox"/> L460mm <input type="checkbox"/> L920mm  <input type="checkbox"/> L690mm</p> <p>Cable reel holder to fit shelving bay, adjustable retainer bar position for various cable reel sizes.</p>	 <p><b>Sealed Gas Box</b></p> <p><input type="checkbox"/> W460 x D310 x H830mm  <input type="checkbox"/> W460 x D380 x H630mm</p> <p>Gas bottle storage safety box, includes two adjustable gas bottle restraints. Sealed box is vented to outside atmosphere when installed.</p>	 <p><b>Accessory Hook, Roof Mounted</b></p> <p>– L100mm</p> <p>Convenient for storage for various tools of trade. Mounts on horizontal integrated Hidrive strut restraint rail.</p>	 <p><b>One-Click Accessory Hook Vertical Fixing</b></p> <p>– L100mm</p> <p>Convenient storage for various tools of trade. Mounts on One-Click shelving frame or integrated Hidrive strut restraint rail.</p>
 <p><b>Parts Bins With Removable Dividers</b></p> <p><input type="checkbox"/> L300 x W100 x H100mm  <input type="checkbox"/> L300 x W200 x H100mm  <input type="checkbox"/> L400 x W100 x H100mm  <input type="checkbox"/> L400 x W200 x H100mm</p> <p>Parts bins to suit adjustable shelving. Available in kits to suit shelving kits or individually.</p>	 <p><b>Parts Tub</b></p> <p><input type="checkbox"/> L430 x W323 x H127mm, 13.5L  <input type="checkbox"/> L430 x W323 x H210mm, 22L  <input type="checkbox"/> L645 x W413 x H200mm, 32L  <input type="checkbox"/> L645 x W413 x H276mm, 52L</p> <p>Parts storage tubs, lids available separately.</p>	 <p><b>Hose Rack</b></p> <p>Great for hydraulic hoses or cables. 4 slots per set. 2 sets shown above. Compatible with other Hidrive accessories.</p>	 <p><b>One-Click Vertical Fix Hose &amp; Cable Hook</b></p> <p>Convenient for storage of cable and hoses. Mounts on One-Click shelving frame or integrated Hidrive strut restraint rail.</p>	 <p><b>One-Click Hygiene Station</b></p> <p>Convenient for onsite safety and hygiene. Includes three pump bottles. Mounts on One-Click shelving frame or integrated Hidrive strut restraint rail.</p>	 <p><b>One-Click Broom/Shovel Holder, Pair</b></p> <p>Storage for longer tools such as brooms, shovels and dog handling poles. Mounts on One-Click shelving frame or integrated Hidrive strut restraint rail.</p>
 <p><b>Internal Divider, Mesh Panel Type</b></p> <p><input type="checkbox"/> L520mm <input type="checkbox"/> L1475mm  <input type="checkbox"/> L750mm <input type="checkbox"/> L1705mm  <input type="checkbox"/> L980mm <input type="checkbox"/> L1935mm  <input type="checkbox"/> L1210mm <input type="checkbox"/> Custom</p> <p>Internal dividing panel for safe easy internal space organisation and restraint. Compatible with One-Click shelving.</p>	 <p><b>Taper Divider, Mesh Panel Type</b></p> <p><input type="checkbox"/> L1700 x H1050 <input type="checkbox"/> L1900 x H1350  <input type="checkbox"/> L1700 x H1200 <input type="checkbox"/> L2050 x H1050  <input type="checkbox"/> L1700 x H1350 <input type="checkbox"/> L2050 x H1200  <input type="checkbox"/> L1900 x H1050 <input type="checkbox"/> L2050 x H1350  <input type="checkbox"/> L1900 x H1200 <input type="checkbox"/> Custom</p> <p>Internal dividing mesh panel with modular fixings. Designed to fit across service body.</p>	 <p><b>Full Panel Divider</b></p> <p><input type="checkbox"/> L600 x H1350mm <input type="checkbox"/> L1500mm  <input type="checkbox"/> L900mm <input type="checkbox"/> L1800mm  <input type="checkbox"/> L1200mm <input type="checkbox"/> Custom</p> <p>Full panel internal divider for safe easy internal space organisation and restraint.</p>	 <p><b>Composite Top With Tuffmat</b></p> <p><input type="checkbox"/> L920 x W475mm  <input type="checkbox"/> L920 x W810mm  <input type="checkbox"/> L1380 x W810mm  <input type="checkbox"/> L460 x W1620mm  <input type="checkbox"/> L920 x W1620mm</p> <p>Provides a protective drawer top surface to work from.</p>		

# Work Area Accessories



## Vice Covers

- Suits 100mm Vice
- Suits 150mm Vice

Heavy duty vice cover for protection of vice when not in use. Compatible with fold-down vice holder.



## Fold Down Vice Holders

- With 100mm Vice
- With 150mm Vice


Engineers vice fitted to folding vice holder for easy compact storage.



## Sliding Vice Holders

- With 100mm Vice
- With 150mm Vice

Engineers vice with sliding vice holder for safe and compact storage.



## Flush Fold Down Workbench

- L460 x W350mm
- L1150 x W350mm
- L690 x W350mm
- L1380 x W350mm
- L920 x W350mm

Fitted inside door opening of body, folds away inside service body when not in use.



# Floor Coverings



## Rubber Matting

- 3mm Anti Slip Grip Pattern
- 6mm Solid
- 10mm holed

Heavy duty rubber mat. Profiled to suit service body floor area. Anti-slip matting can also be ordered, cut to size for drawers, shelves and top pans.



## Carpet

Heavy duty marine carpet. Profiled to suit service body floor area or accessory surfaces where required.

# Battery, Charge & Volt Control

			
<b>AGM Dual Battery</b> DC Charger 12V	<b>AGM Dual Battery</b> DC/Solar Charger 12V	<b>AGM Dual Battery</b> DC/AC Solar Charger 12V	<b>AGM Dual Battery</b> DC/Solar Charger 24V
<input type="checkbox"/> 100AH/20A	<input type="checkbox"/> 100AH/25A <input type="checkbox"/> 140AH/25A <input type="checkbox"/> 200AH/40A	<input type="checkbox"/> 140AH/30A <input type="checkbox"/> 200AH/30A	<input type="checkbox"/> 100AH/20A

		
<b>Solar Panel</b>	<b>Solar Panel, Folding</b>	<b>Solar Blanket</b>
<input type="checkbox"/> 50W <input type="checkbox"/> 80W <input type="checkbox"/> 120W <input type="checkbox"/> 180W <input type="checkbox"/> 200W	<input type="checkbox"/> 120W	<input type="checkbox"/> 150W

Compliment vehicles existing charging system, compatible with dual battery systems. Finish more jobs without on-site power.

		
<b>Lithium Dual Battery</b> DC/Solar Charger 12V	<b>Lithium Dual Battery</b> DC/AC Solar Charger 12V	<b>Battery Monitor, Wireless, Hummingbird HMRF2000B</b>  Monitor multiple batteries via remote colour screen with selectable alarm voltage parameters.
<input type="checkbox"/> 100AH/40A <input type="checkbox"/> 200AH/50A	<input type="checkbox"/> 100AH/30A <input type="checkbox"/> 200AH/30A	

		
<b>Battery Protection</b>  Battery protection disconnects crank batteries from non-essential loads before it is completely discharged.	<b>Jump Packs</b>  <input type="checkbox"/> 12V 680 CCA 4400 peak amps <input type="checkbox"/> 24V 340 CCA 2200 peak amps  Super duty portable jump starter installed with trickle charge from vehicle system.	<b>Booster Cables</b>  <input type="checkbox"/> 750amp, 4.5m, surge protected <input type="checkbox"/> 900amp, 6.0m, surge protected  Premium heavy duty nitrile booster cable, fitted with 175A Anderson plug. Comes with carry bag.

		
<b>REDARC Inverter</b>  <input type="checkbox"/> 350W <input type="checkbox"/> 700W  12V or 24V DC - 240V AC. REDARC pure sine wave with overload, short circuit and over temperature protection. Load controlled cooling fan. Includes cabling.	<b>REDARC Inverter, With RCD</b>  <input type="checkbox"/> 1200W <input type="checkbox"/> 2000W  12V or 24V DC - 240V AC. REDARC pure sine wave with RCD, overload, short circuit and over temperature protection. Load controlled cooling fan. Includes cabling.	<b>240V Aux Battery Charger, Victron 10A Charger</b>  Allows charging of AUX battery system from 240V AC mains power supply.

	
<b>Battery Boxes</b>  <input type="checkbox"/> L475 x W475 x H315mm <input type="checkbox"/> L810 x W240 x H315mm <input type="checkbox"/> L380 x W194 x H263mm  Robust secure storage of your batteries. Suitable for dual battery systems.	

# Plugs, Switches & Lockout



## Jumpstart Receptacle

- Dual battery, 12V
- Dual battery, 12V + 24V
- Crank battery

Ideal for use on applications where access to battery terminals is restricted on the worksite or in remote locations.



## Dual Battery Starter Override

In cab switch to override battery power.



## Anderson Plug Connectors

- 50A
- 350A
- 175A

Reliable connection for high amp DC power connections. Installation includes cabling and circuit protection.



## Isolation Switch, Battery, Red Lockout

- 175A
- 300A

Heavy duty battery isolation lockout switch. Red code for battery isolation.



## Isolation Switch, Starter, Yellow Lockout

- 175A
- 300A

Heavy duty starter isolation lockout switch. Yellow code for starter isolation.



## Power Outlets

- Double CIG Socket, 12V 10A
- CIG and USB Socket, 12V 10A
- CIG and ENGEL Socket, 12-24V

Power output socket, active with ignition.



## Trailer Plugs

Optional five pin, seven pin, twelve pin, and Anderson trailer plugs.



## Hidrive Switch Module™ 4 way

In cab switching of electrical accessories, CANBUS and OEM system compatible. Backlit touch panel with indicating LED and customised text on each switch for safe and easy operation.

# Cameras & Sensors



## Reverse/Dash Camera, Mirror Mount

- Standard Mount
- High Mount

Full screen hi-definition reverse camera with dual front & rear dash cam. Camera installation configured to function automatically in reverse. With manual override via button on screen to activate camera in forward gears.



## Reverse Alarm

- Beeper, 97dB
- Broadband quacker, 92dB
- Smart reverse alarm, auto adjusts output to 10dB above surrounding sound level

For site compliance and safety.

Custom switch for reverse beeper override available.



## Smartpark Commercial Reverse Sensors

Commercial safety reversing system.



# Security, Locking & Warning

**Light, Lock & Go Kit**

- Available for 1, 2, 3, 4 or 5 door service bodies
- Upgrade with security alarm

Includes central locking linked to vehicle system, LED interior lights, door ajar alert, & 12V double cig socket. A must for the busy service tech who is serious about a functional service body that is easily unlocked via the OEM vehicle remote.

**Security Alarm, Fitted To Service Body**

- 12V
- 24V

Includes security alarm protection to service body with entry point protection to doors and high intensity LED deterrent light in vehicle cab with siren alarm.

**Central Locking**

- Service body only (separate remote)
- Service body only (use vehicle key)

**Hand Brake Alarm Kit, Fitted**

The REDARC Handbrake Alarm is used to monitor the handbrake switch and doorframe or accessory switch, providing audible and visual warning to the driver if the door is opened while the handbrake is not applied.

**Door Ajar Alarm**

- No handbrake sensor
- With handbrake sensor

In cab alarm sounds if ignition is activated when one or more doors are open. Can be wired with the handbrake to only sound when handbrake is disengaged.

# Communications

**UHF & Antenna Kit**

- XRS330
- TX4500
- TX3350

Range of GME UHF radios available. Antenna mounted to truck mirror arm or service body roof.

**Antennas & Cable**

A range of UHF antenna kits available to suit your communication needs with different mount options available.

**Phone Cradle Kit**

- Bury series 9, complete kit fitted

Range of models available with compatibility to various devices and vehicles.

**Tablet Cradle Kit**


- 7" - 8" tablet
- 9" - 10" tablet
- 12" tablet

Range of models available with compatibility to various devices and vehicles. Option to fit in the cab of vehicle or in the service body.

**CEL-Fi Go Mobile Repeater, Telstra**

Boost your safety and connectivity with this kit, including 5G antenna, plus Wi-Fi repeaters in both the vehicle cabin and the service body.

# Lighting

<p><b>Mine Bar With LED Beacon</b></p> <p><input type="checkbox"/> L1650mm bar  <input type="checkbox"/> L1800mm bar</p> <p>Boost your mining and civil site compliance by adding options such as: LED strobe, signal lights, whip aerial, worklights, 97Dba reverse alarm.</p> 	<p><b>Mine Bar Options</b></p>  <p>LED Lighting. See p.78  Reverse Alarm Options. See p.73  Aerial Options. See p.57  Beacon Options. See below</p>	 <p><b>LED Mini Strobe Flasher Canopy, 12-24V</b></p> <p><input type="checkbox"/> Red and Blue  <input type="checkbox"/> Amber</p> <p>SAE Class 1, high intensity variable flash pattern, clear lens.</p> 	 <p><b>Door Safety Strobe Alert, 12-24V, Amber</b></p> <p>High intensity variable flash pattern mini strobe fitted to each end of door. Auto activation when door is opened.</p>		
 <p><b>LED Beacon, Strobe, Round, 12-24V, Amber</b></p> <p><input type="checkbox"/> H65mm  <input type="checkbox"/> H130mm</p> <p>SAE Class 1, high intensity variable flash pattern.</p>	 <p><b>LED Rotating Beacon, H155mm, 12-24V, Amber</b></p> <p>360 deg high intensity strobe beacon, variable selectable flash pattern.</p>	 <p><b>LED Combination Light, 12-24V, 160x40mm</b></p> <p>Auxiliary high mount LED compact tail lights with stop, tail, indicator, and reverse.</p>	 <p><b>LED Arrow Bar, 1070mm, Amber</b></p> <p>– 12 - 24V input  LED directional arrow bar, 8 flash patterns. Includes in cab controller.</p>	 <p><b>LED Arrow Board, B Size, 1500mm, Amber</b></p> <p>– Single sided or Double sided  High intensity LED flashers, integrated raise/lower powered actuator, controller in cab with multiple display selector. Complies Aust. standards and NSW RMS.</p>	 <p><b>LED Arrow Bar, Split, 2x535mm, Amber</b></p> <p>– 12 - 24V input  LED directional arrow bar, 8 flash patterns, 2pces 535mm long for RHS and LHS of vehicle body. Includes in cab controller.</p>
 <p><b>LED Flashing Minibar, 300mm, Strobe Type, 12-24V, Clear Lens, Amber</b></p> <p>SAE Class 1, high intensity variable flash pattern, clear lens.</p>	 <p><b>LED Flashing Lightbar, Strobe Type, 1200mm</b></p> <p><input type="checkbox"/> Red and Blue  <input type="checkbox"/> Amber</p> <p>SAE Class 1, high intensity variable flash pattern, clear lens.</p>	 <p><b>LED Message Display, 590(W) x 140mm(H)</b></p> <p>– 10 - 30V input  – Red display / Amber display  High intensity optics, includes touchscreen controller and display.</p>			

# Lighting Cont.



**LED Worklight, Remote Control, 50W**

- 12 - 24V input

Spot pattern remote control LED worklight, 360 deg rotation, 135 deg tilt, wireless controller, auto return to home when switched off.



**Folding Work Light Bracket**

- 250mm
- 500mm
- 750mm

Fold-out work light brackets are compatible with all work lights and are designed to mount on the rear of a part canopy or tool canopy and provide up to 180° of movement allowing the light to be adjusted to suit your application.



**LED Worklight, Round**

- 127mm, 39W, 2400lm
- 110mm, 27W, 1080lm

12 - 24V input. Flood pattern LED worklight includes stayput tilt & rotation base.



**Driving Lights, Round**

- LED
- HID
- Halogen
- LED/HID hybrid

Range of driving lights to meet fleet needs.



**LED Worklight, Square**

- 46W, Spot beam, 3756lm
- 120W, Flood beam, 9831lm

LED worklight includes stayput tilt and rotation base with options of spot or flood beams. 12 - 21V input.



**LED Interior Strip Light**

- 260mm
- 590mm

12 - 24V input. LED interior light with switch.



**KOLO - Key On, Headlights On**

- 12V
- 24V

Key-on-lights-on function. Headlights on with ignition.





## Signage & Wrapping for Utes, Trailers and Trucks.

High impact, professional vehicle signage gives your business 24/7 visibility, builds brand recognition and promotes customer loyalty.

Our FleetBrand service includes everything from reflective strips, call signs and compliance decals, to tailored branding and full vehicle wraps.

- Show the world you mean business
- Look professional and be remembered
- Boost the esteem your staff hold for your brand
- Packages to suit all budgets and vehicles.



### Vehicle Signage

Signage designs may include brand packaging, part and full wraps, compliance decals and fixed term promotional details. Full wrap examples shown above. Partial wrap options illustrated on page 78.

Well-designed signage on your service vehicle fleet will increase brand recognition for your business. Our FleetBrand team are experienced design and installation professionals, who you can trust through the design, production, and installation processes. View our Hidrive FleetBrand™ brochure for our range and design inspiration for vehicle signage.



### Compliance Decals

<input type="checkbox"/> GVM	<input type="checkbox"/> Spill Kit
<input type="checkbox"/> Fire Extinguisher	<input type="checkbox"/> Call Sign
<input type="checkbox"/> First Aid	<input type="checkbox"/> Fleet/Unit No

Avoid headaches by discussing your compliance needs with a Hidrive Mobile Workspace Specialist.



### Mine Site Call Signs

Produced using fluorescent yellow/green class 1 reflective material for side application. 260mm depth box size with 200mm depth text made to BMA specification.

Rear call sign resized to suit workable space, produced from non-reflective material.

**HD020**  
**HD020**



### Chevrons

Produced using yellow and red class 1 reflective material. Available in full or partial coverage to suit all service body types and sizing.



### Conspicuity Tape

<input type="checkbox"/> White reflective tape to be used on front and sides of vehicles
<input type="checkbox"/> Florescent yellow/green reflective tape to be used on sides of vehicles
<input type="checkbox"/> Red reflective tape to be used on sides of vehicles
<input type="checkbox"/> Yellow reflective tape to be used on sides and rear of vehicles

50mm/70mm class 1 hi-vis reflective stripe. Compliance for mine and civil sites.





# SUSTAINABILITY

Choose Hidrive for the lowest possible carbon footprint.

- Whilst our structural warranty is 3 years, we know of bodies that have lasted 15+ years and must have done over 1 million kms. Cheaper imported competitors are often cracked and rusting within 3 years, and often not in good enough condition to refit onto 2-5 utes or trucks. Hidrive service bodies are not fast fashion, they're made to last. Don't choose a service body that'll end up in landfill at the end of a 3-year lease.
- Hidrive service bodies can be taken off one truck and fitted to another with the same chassis width. Keep this in mind when leases expire or accidents occur. Re-use is better than recycling!
- Hidrives are lighter so you burn less fuel and lower your CO2 emissions. Hidrive aluminium full canopies can be more than 100kg lighter than steel. For every 100 kg weight reduction, fuel consumption can decrease by 0.4L/100km for light trucks. That's 4000 litres (9 tonnes of CO2) potentially saved over the 1 million kilometres a Hidrive service body may be used for.\*
- Hidrives are lighter so your brakes and brake rotors last longer, again reducing your footprint.
- Aluminium does not rust. This means less carbon footprint from reduced needs for re-painting for corrosion avoidance and to keep your fleet looking great.
- Hidrives are made in Australia, for the lowest global shipping carbon footprint. We make service bodies, towbars, roof racks, shelves, drawers, sliders, fold-out benches and much more from scratch.
- Your Hidrive body and all Hidrive manufactured accessories are made in Australia to last. That means less environmental impact of repair work, such as re-welding. We've made over 21,000 service bodies and never had one returned with a structural crack, aside from accident damage.
- We've manufactured thousands of Hidrive drawers. These typically last for 8+ years with zero need for repairs or parts replacements. Many of our competitors, even some big brands, reportedly have regular breakages. Waste less time and fuel driving back for repairs!
- We're a one-stop shop, for lowest local shipping carbon footprint. Hidrive do more under one roof than anyone in our industry. Why ship your ute, trailer or truck to 5 different suppliers for signwriting, bullbar fitment, lighting fitment, interior fitout etc?
- We do not use fibreglass fibres or fibreglass resin at all. Fibreglass is not recyclable and presents pollution risks and risks to human health (especially during repairs).
- Hidrive follow ISO 9001 quality standards for our recycling processes for all recyclable materials, such as metals and rubber - at all manufacturing and installation locations.
- Hidrive's 50 year Recycling Guarantee - Anyone can return any Hidrive product to any Hidrive location and we'll ensure it is given to a reputable recycling service at no charge to you.

# Five COLAS trucks were specified for breakdowns and repairs, with safety and timelines critical.

## The Client

Road and infrastructure giant COLAS provides high-quality bituminous materials to build and maintain roads pavements through a network of production facilities across Australia.

As part of an expanding service department, the company introduced five new 716 Hino Hybrids and called on Hidrive to assist with its service body requirements.

## Needs Analysis

"COLAS technicians, need to carry a range of equipment out on the road, including inverters for refrigerators, a generator, air compressors and gas bottle storage", according to COLAS National Equipment Manager Andrew Hughes.

## Solution

After listening and understanding all client requirements and decision factors, it was understood that new Hino Hybrids had to be well-equipped to handle all repairs on-site.

The five trucks each had a welder, gas bottle, and inverter for charging refrigerators and tools.

**5**

Fit-for-purpose Hidrive service bodies for Hino Hybrid Trucks.

**2**

Weeks only, not two months with trucks off the road.

**100%**

Tailored modular system.

**100%**

Consistency across the fleet.

"They [Hidrive] have fitted far more than what the truck normally has. Hidrive offers a great range of options in their body build and COLAS have basically ticked every option" he says. "It's a beautiful system as to how they work their bodies."




See this video case study at:  
[hidrive.com.au/case-studies/](http://hidrive.com.au/case-studies/)



# UTE SERVICE BODIES

We will listen, understand your trade and apply lessons learned to make your fleet ready for success, anywhere. Like our trucks, the floor, frame and skin are all alloy to resist rust, save weight and stay under your gross combined mass limit, reduce fuel costs and braking distances.

To ensure your utes are fitted out for your purpose, the process starts with a free consultation with a Hidrive Mobile Workspace Specialist, which can be requested on 1300 360 625.



# SERVICE BODY TRAILERS

We sell complete trailers registered and delivered anywhere in Australia. Options fitted with your choice of accessories.

Hidrive trailer chassis, floors and canopies are alloy to resist rust, save weight, stay under your gross combined mass limit, and reduce fuel costs and braking distances.

To ensure your trailer is fitted out for your purpose, the process starts with a free consultation with a Hidrive Mobile Workspace Specialist, which can be requested on 1300 350 625.

We supply trailers including the rolling chassis. We make the floor and everything above it. This minimises weight, waste and maximises space. No point having a trailer with two floors.

We do not:

- Put service bodies on your trailer
- Sell our service bodies to be put on your trailer.





# LET'S CHAT!

## **Avoid headaches for years to come.**

Choosing vehicles, service body types, variations and accessories requires specialist advice. Not sure how best to fit out your service body? We'll also help avoid costly re-work by checking a few things before you order. For example, please tell us if you/your dealer are fitting a towbar, ROPS, non-standard tanks / wheels or tyres. Want to know what level of investment is required?

These are the sorts of conversations we have with our clients - everyday.

Here are five reasons why booking a free consult with a Hidrive Mobile Workspace Specialist is a no-regrets move:

- ① Your service body will be used for years to come. The right advice now will save you time and money.
- ② You'll benefit from the lessons learned from over 21,000 other service bodies we've made since 1993. In this way, a Victorian electrical business can get inspiration from a similar fleet fitout in WA.
- ③ Whatever industry you're in, we're more likely than any other manufacturers to have experience tailoring service bodies for your industry and application.
- ④ Utes, trailers or trucks - we're here to understand your organisation and support you long term.
- ⑤ Without the best guidance, are you risking the safety, compliance, satisfaction, productivity or reputation of your business?



Chat with one of our helpful Mobile Workspace Specialists.

- **1300 350 625**
- [team.aus@hidrive.com.au](mailto:team.aus@hidrive.com.au)
- [hidrive.com.au](http://hidrive.com.au)



**Eastern Manufacturing, Installation & Showroom**  
17 O'Sullivan Pl, Goulburn NSW 2580



**Brisbane Showroom & Installation**  
146 Crockford St, Northgate QLD 4013



**Melbourne Showroom & Installation**  
57 Hunter Rd, Derrimut VIC 3026



**Western Manufacturing, Installation & Showroom**  
18 Catalano Rd, Canning Vale WA 6155



**Sydney Showroom & Installation**  
10 Garner Pl, Ingleburn NSW 2565



**Adelaide Showroom & Installation**  
6 Wirriga St, Regency Park SA 5010



MANUFACTURING,  
INSTALLATION &  
SHOWROOM

INSTALLATION  
& SHOWROOM

Hidrive has the sites and coverage nationally to ensure that our clients experience unsurpassed support.

