

hidrive
MAKE CERTAIN

SERVICE BODIES FOR UTES

Fit-for-purpose. On time. Nationally.



**ON-TIME
GUARANTEE**



"We invested in Hidrive Service Bodies for our utes and a Hidrive trailer for flexibility and reliability. During the day one team can be left with a trailer at one turbine, then another team can work out of the Service Body on the ute at a second turbine. Then at night, the utes go home and the trailer stays on site for the night crew."

Brad Sheridan, Vestas Service Technician

NOT ALL SERVICE BODIES ARE CREATED EQUAL

MAKE CERTAIN



Vestas has three nine year old Hidrive service bodies on utes and this six year old Hidrive trailer that are used extensively throughout its NSW wind farms. Learn from their video case study and others at hidrive.com.au/case-studies

TABLE OF CONTENTS

6	Fit-for-purpose	16	Vehicle & cabin type	76	Sustainability
8	Unrivaled reliability	18	Service body selection	77	Service body dimensions
10	Ford QVM	28	Variations	78	Trailer service bodies preview
11	Made here, for certain	32	Fitout	80	Truck service bodies preview
12	CustomerCare	72	FleetBrand		
14	4-step process	74	Case studies		

THEY MADE CERTAIN

We have built over 20,000 service bodies since the 1990s. Here are some clients who made certain their service bodies were fit-for-purpose and on time.





FIT FOR YOUR PURPOSE

Our 190 strong team design, manufacture and install fit-for-purpose service bodies for utes, trailers and trucks, on time, with certainty.



A mobile workspace that's uniquely yours.

Jobs are always easier when your ute, trailer or truck is fitted out just for you. We take the time to listen and understand your trade. Then we make and fit what you need. This saves you time and daily hassles for years to come.



Better resale - as Hidrives go the distance.

Whilst our structural warranty is 3 or 5 years,* we know of bodies that have lasted 15+ years and must have done over 1 million kms. Make certain that your fleet is fit-for-purpose for years to come - and get better resale values.



Functional, inside and out, top to bottom.

Benefit from our experience tailoring our modular system for every industry, across the 20,000 service bodies we've built since the 1990s.

YOUR 10 POINT FIT-FOR-PURPOSE CHECKLIST



Is it aluminium?

For durability, the lowest weight and maximum payload.



Is it secure?

We're unaware of anyone successfully breaking into a Hidrive by prying the doors open.



Is your seal on the door?

Seals around the entrance can be easily damaged when loading or unloading, letting in dust/water thereafter.



Can you work out of it?

Gullwing doors shelter you from rain and sun.



Will your gear move around?

Organise and secure tools and stock.



Is it durable?

A Hidrive will not develop structural cracks or rust.



Has it got integrated roof, ceiling, wall and underfloor fixing tracks?

Add or remove accessories without drilling.



Do your utes look, function and perform consistently?

Ensure your team has a consistent fleet, nationally.



Is it designed for maximum productivity?

Tailor your fitout with your choice from over 190 accessory types.



Do you have national safety compliance?

Be ready for any job, anywhere, anytime.


hidrive
MAKE CERTAIN



UNRIVALLED RELIABILITY

Hidrive's light and durable aluminium ute canopies maximise payload and have been continually improved since the 1990s.

Engineered more like an aircraft fuselage than a traditional heavy steel box, Hidrive ute canopies have been bulletproof in the field for decades making them Australia's most popular.



- Ⓐ **Aluminium polymer co-bonded construction.** For the lightest possible weight, maximum vibration absorption and reliability.
- Ⓑ **Concealed adjustable hinges.** Ensure that moving parts are out of the weather and provide optimum security.
- Ⓒ **Flush floor system.** Never jam your fingers against a side lip again! Easier to unload, use sliders and drawers.

- Ⓓ **Internal, external & under tray integrated fixing tracks.** For easy accessory repositioning & avoiding the need to drill holes in your service body.
- Ⓔ **Contoured body.** A unique shape that blends with modern vehicle aesthetics, allowing for greater aerodynamics and improved fuel efficiency.

- Ⓕ **Sealed tight.** Our door open seal creates a gutter to channel water away, keeping your workspace dry while the door is open. And our positive sealing system seals against dust and water ingress.
- Ⓖ **Removable tail light panel.** Easily replaced. Don't fall for cheaper designs with welded tail light panels. Ensure your ute is back on the road quicker after minor accidents.
- Ⓗ **Security.** Single rotating lock handle with hardened locking rods and stainless steel striking plates offers unrivalled strength and security, giving you peace of mind. Hidrive doors are more easily replaceable than flush mounted designs.



FORD QUALIFIED VEHICLE MODIFIER

As Australia's largest service body manufacturer, we work proactively and collaboratively with all major brands.

Our Ford Australia Qualified Vehicle Modifier (QVM) Certification is recognition of Hidrive's world-class ute service bodies and the entire process, end-to-end.



The only Ford certified manufacturer that's national.

Hidrive are the only service body manufacturer with a company owned national network of factories and Ford QVM certified installation / service locations.



Electrical/safety system modifications.

Significant electrical/safety system modifications are required to reintegrate into Ford's vehicle electronics.



Keep your fleet compliant.

Advanced driver assistance technologies means you cannot risk your fleet not being nationally compliant.

**DESIGNED.
ENGINEERED.
BUILT.
IN AUSTRALIA.**



WE MAKE MORE OURSELVES

For consistency and on-time delivery.

No other manufacturer designs, engineers and manufactures more fitted-out service body options than us. Your fleet can be completed faster and consistently for years to come.

What we don't make, we source locally as much as possible. So, when you want to add more vehicles to your fleet in future years or need spare parts, we can make more, without overseas shipping delay or hoping some factory overseas still makes something that looks or fits the same. We make these 25 listed product groups (in various sizes) from scratch in NSW/WA.

- Canopies, Tool Modules, U-Modules and Animal Management Bodies
- Shelves
- Drawers
- Sliders
- Towbars
- Vinyl Signage (from a few stickers to a full wrap)
- Slide Out Work Benches
- Side Steps
- Crane Bases
- Roof Racks and Roof Bars
- Dividers (mesh and full panels)
- Custom Roof Shelves
- Guards
- Underbody Boxes
- Underbody Roller Drawers
- Lockable Boxes
- Roll Over Protection Systems
- Ramps
- Bund Trays
- Safety Cone Holders
- Gas Bottle Holders
- Spare Tyre Holders
- Jerry Can Holders
- Hinges, Doors, Spares and more!



A ONE-STOP SHOP THAT DELIVERS ON TIME, WITH CERTAINTY

We're Australia's leading one-stop-shop. We supply and fit over 190 different accessories. This means that we can fit everything from bull-bars to towbars, do your signage and more. Save the delays and hassles of arranging separate suppliers to fit your GVM upgrade, lighting, internal fitout, roof accessories etc.

 WE MAKE MORE ACCESSORIES
THAN ANY OTHER SERVICE
BODY MANUFACTURER

 WE MAKE YOUR BODY BEFORE
YOUR VEHICLE ARRIVES

 2000+ TAILORED
VEHICLES P.A

 IN-HOUSE DESIGN &
ENGINEERING TEAMS

 DEDICATED MOBILE
WORKSPACE SPECIALISTS

 ALL LOCATIONS ARE
HIDRIVE OWNED & ISO 9001
QUALITY CERTIFIED



 **ON-TIME
GUARANTEE**




Customer Care & Technical Support

We make it easy from day one.

Once you've completed your consultations with your Mobile Workspace Specialist and placed your order, our team of 10+ full time CustomerCare and Technical Support staff are there for you. They coordinate with your dealer, Fleet Management Organisation and our manufacturing team to provide:

- Accurate information on the status of your fleet project, using real-time information that is fed directly from our production system
- Live and transparent information on the location of all vehicles, stage of production and delivery timelines
- Weekly status report links that can be sent to all stakeholders

Hidrive is dedicated to providing the highest level of customer service to our clients throughout the journey of their fleet roll-out.



National Support Network

Hidrive provides your business with nationwide support. We have well-established installation and manufacturing locations and a national service network right across Australia.

Hidrive Serial Numbers

Every build has its own unique Hidrive serial number, enabling us to trace any service requirements back to the source with greater ease.

Ongoing Support

Need advice, service, parts or accessories? Our national team is in place to get you back on the road with minimal downtime.



THE HIDRIVE 4-STEP PROCESS

Step 1

Notify us of your vehicle and cabin type.

Step 2

Choose your Service Body.

- Full Canopy → U Module
- Part Canopy → Animal Management
- Tool Module

Step 3

Service Body Variations.

- Colour Match Paint → Rear Doors
- Front Ledge → Windows
- Side Doors → Rear Roller Drawer

Step 4

Fitout.

- Service Body Protection
- Site Safety
- Vents
- Internal Storage
- ROPS
- Work Area Accessories
- Equipment & Load Restraint
- Floor Coverings
- Roof Mounted Accessories
- Battery, Charge & Volt Control
- Tanks & Bunds
- Plugs, Switches & Lockout
- Underbody Storage & Infill Panels
- Cameras & Sensors
- Air, Lube, Fuel & Reels
- Security, Locking & Warning
- Lift, Hoist & Hydraulic
- Communications
- Towing & Brake Controls
- Lighting
- Suspension
- FleetBrand
- Vehicle Accessories

To ensure your vehicle is fitted out for your purpose, the process starts with a free consultation with a Hidrive Mobile Workspace Specialist. Call 1300 350 625 to get started.



CHOOSING THE RIGHT VEHICLE

A Hidrive Mobile Workspace Specialist can assist you in choosing the right vehicle as the foundation for your mobile workforce, ensuring your team can complete their job as efficiently and safely as possible. Let's discuss:

 YOUR
INDUSTRY

 LOAD
HANDLING

 INTERNAL OR
EXTERNAL STORAGE

 PAYLOAD

 EQUIPMENT
SPACE


 WORK
ENVIRONMENT

Whilst the dimensions of the Hilux, Ranger, D-Max, BT-50, Triton, Navara, Amarok and other utes are unique, the modular design of Hidrive service bodies enables fitment to all those utes. With different mounting brackets, your Hidrive may fit any of these of the same cab type.* Your initial choice is between vehicle cabin size and service body size. The longest service bodies fit on single cab utes, the shortest bodies fit on dual cab utes, and the extra cabs are in-between. Refer to page 77 for full dimensions.

SINGLE CAB
TRAY LENGTHS



EXTRA CAB
TRAY LENGTHS



DUAL CAB
TRAY LENGTHS



*E.g. A body made for a single cab would be too long to fit on a dual cab. Vehicle brands can introduce new models at any time, so call a Hidrive Mobile Workspace Specialist for advice before investing.

STEP 2

CHOOSE
YOUR
SERVICE
BODY



FULL CANOPY

Rarely do you see someone carrying anything that can't go inside or on the roof of a full canopy.

- + Dust and watertight
- + Maximum security
- + Doors = staff shelter
- + 2 or 3 door access
- + Maximises branding space



See page 77 for available service body dimensions.

Multiple accessories shown. Consult a Hidrive Mobile Workspace Specialist for details.


FEATURED HIDRIVE

STEP 1 Toyota Hilux Dual Cab

STEP 2 Full canopy

STEP 3 + Toyota Glacier White
+ Gullwing side doors
+ Full-width rear door
+ Rear roller drawer


STEP 4 Accessories as shown



PART CANOPY

Nominate your canopy and tray length.
Ideal for those who transport gas bottles or want a bet each way.

- + Best of both worlds
- + External accessory mounts
- + Good for high/bulky loads
- + Externally mount extinguishers
- + Keep dirty equipment out of your canopy
- + Space to fit a crane & controller




FEATURED HIDRIVE

STEP 1 Ford Ranger Super Cab

STEP 2 Part canopy

STEP 3 + Ford Arctic White
+ Gullwing side doors
+ Rear roller drawer

STEP 4 Accessories as shown



TOOL MODULE

Maximum length centre aisle for longer or bulkier items that will not fit in our rear roller drawer, i.e. traffic signs, refuse, engine driven compressors or other equipment.

- + Secure tool sections
- + Lighter than tray & box combo
- + Maximises available payload
- + Maximises vertical flexibility



See page 77 for available service body dimensions.

Multiple accessories shown. Consult a Hidrive Mobile Workspace Specialist for details.


FEATURED HIDRIVE

STEP 1 Isuzu D-MAX Single Cab

STEP 2 Tool module

STEP 3 + Isuzu Mineral White
+ Gullwing side doors
+ Rear roller drawer


STEP 4 Accessories as shown



U MODULE

A great mix of the advantages of part/tool modules. Outside, there's aisle space for items such as compressors, plus a flexible rear tray area. Inside, you have more depth than a tool module, enabling you to secure stock and larger items such as:

- + Deeper drawers
- + Spare wheels & wheel lifts
- + Site signage / lollipop signs
- + Slide out fridge / generator
- + Large tools




FEATURED HIDRIVE

STEP 1 Toyota LandCruiser Single Cab

STEP 2 U module

STEP 3 + Toyota French Vanilla
+ Gullwing side doors
+ Rear roller drawer


STEP 4 Accessories as shown



ANIMAL MANAGEMENT

Uniquely designed and engineered unit that complies with all National Codes of Practice for transportation of companion animals.

- + Available for Single, Extra and Dual Cabs
- + Animal handling/control pole compatible rear doors
- + Secure front storage compartment positively sealed against dust and water
- + Body can be swapped from ute to ute



Accessory Roof Bar, Beacon and Spotlights shown. See page 77 for available service body dimensions.

FEATURED HIDRIVE

STEP 1 Super Cab Ford Ranger

STEP 2 Animal management service body

STEP 3 + Ford Arctic White

STEP 4 Accessories as shown

STEP 3

SERVICE
BODY
VARIATIONS

TAILOR YOUR WORKSPACE

Variations are choices to be made before we fabricate your service body.



COLOUR MATCH PAINT

We paint match your service body to your vehicle using automotive grade 2K paint.


Getting this right impacts the impression of your brand with potential staff and customers for years to come. Don't risk the first impressions you make!



FRONT LEDGE

Tray space at the front of the canopy, behind the cab.

Keep the weight up front for better handling. Customers often choose a 600mm ledge if mounting heavy items such as compressors. Customers who simply want to store thin items such as gas bottles and a vice can choose a 300mm ledge.



SIDE DOORS

All service bodies come standard with a left and right gullwing door. Two other popular options:


Bi-Fold Door

Ideal for roadside work, or if you often park in tight spaces.

Extra Side Door with Sealed Divider

Creates sectioned off sealed internal compartment. The sealed compartment is recommended for teams that require separate wet and dry areas when on site.





REAR DOORS (FOR FULL CANOPY)

Upgrade from no rear door to either a standard width, full width or part width rear door for optimum access for your trade.


Book an appointment with a Mobile Workspace Specialist to request detailed dimensions and help with making the right choice.



WINDOWS

Toughened automotive glass, flush bonded into front and rear service body panels.

Shown with accessory safety mesh.



REAR ROLLER DRAWER

Efficient use of underbody area for secure storage.

L1520 x D130mm

L1920 x D130mm

Rolls out for easy access, incorporates staged safety locking keyed alike to service body doors. Shown with accessory lockable lid.

ACCESSORIES TO GET THE JOB DONE RIGHT

Complete your fitout. Engineered for performance and designed to integrate perfectly with your service body, our extensive range of accessories will help you get even more out of your mobile workspace.



Service Body Protection34	Underbody Storage and Infill Panels43	Fridges and Slides52	Plugs, Switches and Lockout64
- Chequer Plate Protection	- Under Body Box	- Fridges & Ice Boxes	- Power Isolation and Override
- Paint Protection	- Rear Roller Drawer Lids	- Transit Bag	- Jumpstart Receptacle
- Dropside Protective Covering		- One-Click Slide	- Isolation and Jumpstart kit
- Window Protection		- Fridge Restraint	- Power Outlets
		- Workbench Top	- Trailer Plugs
Vents35	- Grease Kits	- Gas Bottle Restraint	- Switches
	- Air Compressors (Diesel, Petrol, Electric)	- Fridge Protection	- Dual Battery Starter Override
ROPS35	- Aux. Air Tanks	- Dropdown Fridge Slide	
	- Lines, Reels & Fittings		
Equipment and Load Restraint36	- Air Filter	Internal Storage54	Cameras and Sensors65
- Load Covers	- Electric Lube Units	- One-Click Shelving	- Reverse Cameras
- Ratchet & Camlock Straps		- Dividers	- Reverse Sensors & Alarms
- Load Restraint Track		- Tapered Dividers	- Camera & Sensor Reposition
- Tray Mounted Restraint Points		- Drawers	- OEM Camera
- Body Mounted Restraint Points		- Top Pans	
- MaxTrax Holder		- Parts Cabinets	
- Shovel Holders		- Parts Bins	
- Spare Wheel Holder		- Parts Tub	
- Spare Wheel Carrier		- Sealed Boxes	
- Gas Bottle Holder		- Hooks	
- Lockable Gas Bottle Holder		- Custom Bunds	
- Jerry Can Holder		- Tripod Rack	
- Sliding Aisle Cover		- Roof Shelves	
- Aisle Divider		- Reel Holders	
- Rear Aisle Door		- Storage Compartment	
- Roller Shutters		- Hose Racks	
- Headboard		- Shovel and Broom Holder	
Roof Mounted Accessories39		- Drawer Inserts and Dividers	
- Ladder Hooks		- Tool Module Shelving	
- Ladder Cable Lock		- Composite Top	
- Ladder Roller		Work Area Accessories60	Lighting68
- Trades Racks		- Vice - Fold Down	- Work Lights
- Roof Bars		- Vice - Sliding	- Aux Reverse Light
- Ladder Slides		- Vice Covers	- Driving Lights
- Stacking Bracket		- Flush Fold Down Workbench	- Mine Bars
- Conduit Carriers		Floor Coverings61	- Beacons & Strobes
- Awnings		- Rubber Matting	- Flashers
- Storage Pod		- Carpet	- Light bars
- Roof Bar Cab Mount		Battery, Charge and Volt Control62	- Mini bars
- Roof Bar Riser		- Dual Batteries	- Door Safety Marker
- Pipe Rack		- Solar Panels	- Signal Lights
- Conduit Support Bracket		- Inverters	- Interior Lights
- Rear Ladder Rack		- Jump Packs	- Daytime Running Lights
Tanks and Bunds42		- Battery Boxes	
- Underbody Water Tanks		- Booster Cables	
- Chassis Water Tanks			
- Tray Mount Tanks			
- Pumps			

Service Body Protection




Chequer Plate Protection

H600mm chequer plate.
Protects external painted surfaces from tools of trade and equipment.



Paint Protection Film

H750mm paint protection film.
Protect the work and load zone of external painted surfaces from scuffs, stains and paint damage.



Dropside Protective Covering

Black poly edging. Protection from paint chipping and dents for a more professional look in front of clients. Boosts resale value and helps items slide over the dropside edges.



Window Security, Safety Mesh

Added security and safety for front or rear windows.



Vents



Floor Vent

Air vent for additional fresh air ventilation through the floor.



Aero Roof Vent, Venturi Type

Venturi style air vent for additional fresh air ventilation.



Louvre Vent

Slim-lined, surface-mounted vent for side applications.

ROPS

ROPS Cell, Vehicle Specific

- Toyota Landcruiser
- Toyota Hilux
- Ford Ranger
- Isuzu D-Max
- Mazda BT-50

Roll Over Protection Structure Cell with removable halo. Removable halo for access to both ROPS and non-ROPS sites. Compatible for single and extra cab vehicles only.



ROPS Cell



ROPS Cell with removable Halo



Equipment & Load Restraint



Rear Aisle Door, Alloy Mesh

- Alloy Mesh
- Full Panel

Full panel or mesh door to rear of centre aisle, lift-off hinges allow easy removal of door when unlocked. Various widths.



Sliding Aisle Cover, Alloy Mesh

- Alloy Mesh
- Full Panel

Full panel or mesh panel fitted to top opening of centre aisle. Slides out to rear for easy removal. Various widths.



Removable Tool Module Aisle Divider

Removable alloy mesh divider panel in centre aisle to assist with separating and securing the load.



Centre Aisle Roller Shutter

<input type="checkbox"/> W650mm	<input type="checkbox"/> W850mm
<input type="checkbox"/> W700mm	<input type="checkbox"/> W1000mm

Centre aisle roller shutter, neutral aluminium finish.



Headboard

Modular headboard provides protection for the vehicle from load items contained within the tray area.



Maxtrax Holder, Strut Mounted

Securely holds maxtrax recovery tracks.



Load Covers

<input type="checkbox"/> Rear Tray & Aisle (above)	<input type="checkbox"/> Tonneau Full Aisle Cover Zippered (above)
<input type="checkbox"/> Rear Tray (right)	

Mesh load covers for securing items in the external tray section. Suitable for part canopy & tool module service bodies.



Jerrycan Safety Holder

Jerrycan safety restraint with provision for chain and padlock.

Mounted to strut restraint rail.



Gas Bottle Holder

Gas bottle restraint with adjustable restraint straps to safely restrain single gas bottles up to 300mm diameter. Mounted to strut restraint rail.




Lockable Gas Bottle Holder

<input type="checkbox"/> SML/MED to suit D size gas bottles
<input type="checkbox"/> LRG to suit E size gas bottles

Secure storage of bottles with adjustable restraint to suit two bottles.

Equipment & Load Restraint Cont.

		
Load Restraint Track & Lug Kit <p>Load restraint tracks fitted to body including 4 piece adjustable / removable anchor points. Available in a range of lengths for different body configurations.</p>	Body Mounted Restraint Points <p>Integrated Hidrive strut, per metre, fitted. Restraint rail fixed to body, accommodates adjustable eye bolts for equipment restraint.</p>	Tray Mounted Restraint Points <ul style="list-style-type: none"> <input type="checkbox"/> Flush lashing ring with black deck <input type="checkbox"/> Heavy duty recessed lashing ring <p>Can be fitted to rear tray sections to secure load.</p> <p>Note: Rated Tray Lashing also available on request.</p>
		
Spare Wheel Carrier, Lockable <ul style="list-style-type: none"> <input type="checkbox"/> Fixed <input type="checkbox"/> Fold Down <p>Lockable spare wheel restraint, fixed or with fold down feature for safe installation and removal of spare wheel. Adjustable for various wheel sizes.</p>	Spare Wheel Holder <p>Spare wheel mount allows you to mount light truck tyres.</p>	
		
Camlock Strap, Ladder Strap With Snaphook <p>Quick release cambuckle strap for ladder restraint.</p>	Ratchet Strap, Tie Down <ul style="list-style-type: none"> <input type="checkbox"/> Standard 25mm x 3m (250kg capacity) <input type="checkbox"/> Bolt on 25mm x 1.8m (350kg capacity) <input type="checkbox"/> S Hook 25mm x 4.5m (350kg capacity) <p>Heavy duty polyester black load restraint strap. Compliant to Aust. & NZ Standard AS/NZS 4380 2001.</p>	Shovel Holders <p>Adjustable for safe, secure restraint of shovel or like-type tools.</p>

Roof Mounted Accessories

	
Trades Rack <ul style="list-style-type: none"> <input type="checkbox"/> L1800 x W1310mm <input type="checkbox"/> L3200 x W1310mm <input type="checkbox"/> L2400 x W1310mm <input type="checkbox"/> L1800 x W1450mm <input type="checkbox"/> L3200 x W1450mm <input type="checkbox"/> L2400 x W1450mm <p>Commercial grade aluminium trades rack compatible with Hidrive accessories.</p>	Pipe Rack <ul style="list-style-type: none"> <input type="checkbox"/> W450 x L2400mm <input type="checkbox"/> W450 x L3200mm <input type="checkbox"/> W450 x L4500mm <p>Commercial grade aluminium trades rack to carry long pipes safely. Compatible with Hidrive accessories.</p>

Roof Mounted Accessories Cont.



Commercial Roof Bar

- 570mm 1500mm 1950mm
- 1250mm 1650mm 2100mm
- 1375mm 1800mm

Heavy duty commercial roof bar including mounting feet. Features integrated accessory fixing strut to accommodate accessories.



Commercial Roof Bar, 3 pce Kit

- 1375mm 1650mm
- 1500mm

Heavy duty commercial roof bars, 3 pce kit including mounting feet. Features integrated accessory fixing strut to accommodate accessories.



Commercial Roof Bar, Tool Module, 5 pce Kit

Heavy duty commercial roof bar 5 pce kit including mounting feet. Suits tool module & u module service bodies. Features integrated accessory fixing strut to accommodate accessories.



Trades Rack Ladder Hooks, Pair

Compatible with Hidrive commercial roof bars and trades racks for safe restraint of extension or step ladders.



Roof Bar Cab Mount

Single roof bar that mounts to the vehicle door jamb curves. Enables support of accessories positioned over the cab.



Stacking Bracket

Create angled storage with stacking brackets mounted to the tray and roof.



**Ladder Roller To Suit Trades Rack Or Roof Bar
Conduit Carrier with Locking Caps & support Bracket**



Ladder Roller To Suit Trades Rack Or Roof Bar

- L600mm L1200mm

Compatible with Hidrive commercial roof bars and trades racks. Provides easy storage of extension or step ladders onto roof bars or trades racks.



Step Ladder Slide With Roller

- 2.6m

Incorporates restraint strap, ladder hooks and roller for easy ladder storage. Anti theft ladder cable lock also available.



Extension Ladder Slide With Roller

- 3.0m

Incorporates restraint strap, ladder hooks and roller for easy ladder storage. Anti theft ladder cable lock also available.



Conduit Carrier, With Locking Caps

- 100 Dia x L3100mm
- 100 Dia x L4100mm
- 150 Dia x L3100mm
- 150 Dia x L4100mm

Conduit carrier with locking end caps.



Conduit Support Bracket

- Suits 100 Dia x L3100mm
- Suits 100 Dia x L4100mm
- Suits 150 Dia x L3100mm
- Suits 150 Dia x L4100mm

Bracket to support longer conduit carriers that overhang the vehicle cab.



Storage Pod

- L1500 x W400 x H150mm
- L1950 x W400 x H150mm
- L2400 x W400 x H150mm

Roof mounted horizontal storage pod for longer items.

Key Lockable.



Removable Rear Roofbar Rack

- Part width
- Full width

Removable rear roofbar rack for rear tray section of tool module, u module or part canopy bodies.



Ladder Cable Lock

Anti theft ladder cable lock, compatible with ladder slides, trades racks and commercial roof bars.



Awning, Pullout, Fiamma F45

Pull out awning for extra weather protection from the side of the service body.

Tanks & Bunds



12L Water Tank, Underbody Box, Wheel Chocks & Bracket



Combi-Tank, 12L Water Tank

Profiled underbody water tank with inbuilt soap dispenser. Designed to conform with the mudguard, this water tank enables fitment of an underbody box on the same side.

Available to fit RHS/LHS.
Size: Specific to vehicle.




Underbody Poly Water Tank, 15L, Soap Dispenser

15L underbody water tank with soap dispenser.



Underbody Poly Water Tank, 30L, Soap Dispenser

30L underbody water tank with soap dispenser.



Chassis Water Tanks

- 15L
- 38L
- 75L

Water tank fitted under service body chassis.



Headboard Water Tank, 35L

35L water tank, positioned to the front headboard of the service body.



Pumps

- Low Pressure 12V 3.8lpm/30psi
- High Pressure 12V 11lpm/45psi
- Low Pressure 24V 11lpm/30psi
- High Pressure 24V 13lpm/45psi

Reliable compact water pump that provides water delivery from onboard water tanks.

Underbody Storage & Infill Panels



Underbody Box

Size: Specific to vehicle
Front/ Rear, RHS / LHS
Underbody aluminium box, profiled to vehicle and service body. Fitted with rubber door seals and compression lock.



UBB Protection, Black Exdura

Added protection for underbody boxes with a heavy duty exdura coating to prevent paint damage and chipping.



Infill Panel, Profiled To Fit Vehicle

- Front LHS
- Front RHS

Vehicle specific profiled infill panel with built-in step and fuel opening where required. Suits extra and single cab vehicles.



Anti Slip Rubber Mat, 3mm Grip Pattern, Profiled To Fit Rear Roller Drawer



Rear Roller Drawer Lid

- L1520mm
- L1920mm

Gas strut assisted hinged lid with seals, also creates a useful work surface.

See page 31 for larger image.

Air, Lube, Fuel & Reels



Diesel Air Compressor Traditional

- 350lpm / 100psi
- 420lpm / 100psi
- 545lpm / 150psi

Petrol Air Compressor Traditional

- 350lpm / 100psi
- 420lpm / 100psi
- 540lpm / 150psi

Traditional style compressors are the work horse compressor. Their large air storage tank means that a work area can be blown down with the stored air without the need to start the compressor.



Diesel Air Compressor Upright Under/Over

- 350lpm / 100psi
- 545lpm / 150psi
- 720lpm / 150psi

Petrol Air Compressor Upright Under/Over

- 350lpm / 100psi
- 545lpm / 150psi

The upright over/under style compressors are the perfect high performing compressor when space is limited. Specifically designed with the mobile workspace in mind, they are great for positioning on the front tray area or the aisle of a service body.



Diesel Air Compressor SMAC

- 1132lpm / 100psi

The SMAC rotary screw compressor is the ultimate air supply for a mobile workspace. Delivering an impressive 1132lpm at 100psi, it will keep up with the most demanding of mobile mechanic applications.



DC Electric Air Compressor With Air Tank

- 12V Air Comp. 135lpm/29psi, 18L tank
- 24V Air Comp. 135lpm/29psi, 18L tank
- 24V Air Comp. 226lpm/100psi, 18L tank
- Portable 12V Air Comp

DC onboard air compressors, includes installation, plumbing, electrical cabling, switching and circuit protection.



Aux. Air Tanks

- 18L AUX Air tank

Auxiliary air tanks provide extra capacity air storage allowing your compressor to cycle on and off less frequently. Compact design allows for flexible mounting positions.



Retractable Reel Options

- Air Reel, Retractor 10mm x 15m
- Air Reel, Retractor 12.5mm x 15m
- Air/Water Reel, Lubemate, 10mm x 14m
- Water Reel, Retractor, 12.5mm x 15m
- Oil Reel, Retractor, 12.5mm x 10m
- Oxy/Acet Reel, Retractor, 2x5mm x 15m
- Grease Reel, Retractor 6.5mm x 15m

Retracting hose reels include installation bracket.



Air Operated Grease Kit

- Suitable for 20kg drum
- 50:1 ratio Pump with an output of approx. 1500g/min
- 15m delivery hose

The Hidrive high pressure grease kit is built to efficiently extract grease from a 20L drum.

The pump kit is designed to connect to a pneumatic line and grease reel for flexible reach.



Electric Lube Units

Ideal for oil transfer in the field and effective removal of waste oil. A smart option to avoid the need for an air compressor to save space and weight.

Lift, Hoist & Hydraulic



Kevrek Cranes

KEVREK Cranes are your Australian made option for light truck and ute cranes, and are available in a configuration to meet many lifting and loading applications. Hidrive offers service body solutions compatible with the 550S, 700S and 1000S KEVREK Crane options. These smaller options are ideal for lighter applications especially on Light Commercial Vehicles/Utes.



Class	Model	Power	Control	Lift Capacity	Hydraulic Slew	Max. Load	Base/Stabiliser Inc.	Weight	Dual Battery Required
A	550S	12V/24V	STD/RRC	0.5 ton/m	290 deg.	550kg	N/A	135kg	N
A	700S	12V/24V	STD/RRC	0.75 ton/m	290 deg.	700kg	N/A	162kg	N
B	1000S	24V	STD/RRC	1.25 ton/m	310 deg.	990kg	N/A	183kg	Y



Maxilift Cranes

MAXILIFT are a simple yet reliable option for light truck and ute applications, with their focus primarily on small to medium crane requirements. Hidrive offers service body solutions compatible with the ML.50 and ML.110 MAXILIFT crane options. These more compact cranes are a great addition to the Light Commercial Vehicle/Ute service body setup.

Class	Model	Power	Control	Lift Capacity	Hydraulic Slew	Max. Load	Base/Stabiliser Inc.	Weight	Dual Battery Required
A	ML50.2	12V/24V	STD/RRC	0.5 ton/m	330 deg.	500kg	N/A	101kg	N
B	ML110.2	12V/24V	STD/RRC	1.0 ton/m	330 deg.	990kg	N/A	155kg	Y



Crane Bases

Features:

- 1 or 2 tilttable manual stabilisers (depending on crane class)
- Extendable Stabilisers with primary and secondary latching
- Transport stowage alarms wired to audible and visual alarm in vehicle cab.

The Hidrive integrated crane base is an engineered crane base that integrates with the service body. Available for a variety of vehicle model variants the Hidrive integrated crane base provides the optimal level of operator safety and efficiency.



Tailgate Loaders

Assists load lifting for tool module and part canopies. Takes up to 300kgs with a simple one hand operation with manual winch.

Towing & Brake Controls



Towing Hitches

Combination pintle towball hitch. 3.5t capacity on 50mm ball. 6t capacity on pintle.




Towbar, Vehicle Specific

Compatible with Hidrive Service Body, optional hitch types available, OEM wiring harness and trailer socket. Includes mounts for Hidrive folding rear steps & Hidrive recovery points.



Pintle Towball Hitch. See across



Rear Crossbar Platform. See p.50



Rear Folding Steps. See p.50



Recovery Points. See p.48



REDARC TowPro Trailer Brake Controller

REDARC Towpro electric brake controller with proportional and user controlled modes.



REDARC Trailer Brakeaway Monitor

REDARC #RM6000 breakaway monitor, fitted. Accurately monitors trailer breakaway system battery condition.



Trailer Sockets

- Trailer Socket, 7 pin (round)
- Trailer Socket, 7 pin (flat)
- Trailer Socket, 12 pin (flat)

Easy attachment. Ensures a safe connection when towing trailers.

Suspension

FEDERAL COMPLIANCE



GVM Upgrades

Increase the vehicle's legal GVM. Includes federal 2nd stage compliance. Options of Pedders Suspension or ARB Old Man Emu.



Rear Suspension Upgrades

OEM rear suspension upgrade including springs and shocks, compliant up to vehicles legal GVM.



Onboard Scales

Pedders LoadRyder™ provides accurate vehicle weight information, helping you avoid the risk of overloading your vehicle, preventing costly fines.

Vehicle Accessories

		
Steel Commercial Bullbar, Vehicle Specific Protect vehicle and engine components with winch compatible commercial steel bullbar.	ARB™ Summit / Deluxe Steel Bullbar Protect vehicle and engine components with winch compatible commercial steel bullbar.	Smartbar, Vehicle Specific Protect vehicle and engine components with Smartbar's impact absorbing construction. Lighter weight than steel bars.

		
Side Rail And Step Provides protection of vehicle side panels, from rocks and road debris. Ease of access into vehicle cab and roof mounted accessories.	Recovery Winch Range of Warn™ recovery winches. Requires compatible frontal protection (bullbar or similar).	Recovery Points <input type="checkbox"/> Front Rated Recovery Point <input type="checkbox"/> Towbar Recovery Point Front or rear recovery points for vehicle recovery.

		
Long Range Fuel Tank, Vehicle Specific Lightweight cross linked polymer construction provides additional fuel storage for long range vehicle operation.	Airflow Snorkel, Vehicle Specific Additional layer of engine protection from dust, water and snow ingestion.	Heavy Duty Canvas Seat Covers Protect your vehicle seats with tough canvas seat covers. Compliant with OEM vehicle safety features.

Site Safety

		
Heated Hand Wash <input type="checkbox"/> 6L 12V <input type="checkbox"/> 6L 24V Heated hand wash unit for safety and hygiene in the field.	First Aid Kit <input type="checkbox"/> R1 Level 1 <input type="checkbox"/> R2 Remote Level 2 Complies with WHS requirements for workplaces.	Spill Kit, Industrial, 15L General purpose oil & chemical spill kit.
		
Safety Triangle Kit, 3 Piece Double sided triangle reflectors with weighted base & stabiliser legs, includes storage case.	Safety Cones Bracket <input type="checkbox"/> 450mm <input type="checkbox"/> 700mm <input type="checkbox"/> 900mm Safety cone storage fitted underbody or above. Includes quick release restraint strap.	Whip Aerial Flag, With LED Marker & Detachable Base <input type="checkbox"/> 1.2m <input type="checkbox"/> 2.4m <input type="checkbox"/> 1.8m LED safety marker at top of aerial. Detachable base and power socket.


Site Safety Cont.



Fire Extinguisher, DCP & Bracket

- 1.5kg
- 2.5kg
- 4.5kg
- 9.0kg

DCP Extinguisher includes quick release vehicle bracket.



Wheel Nut Indicators

- 19mm flat
- 19mm 38mm ext
- 21mm 38mm ext
- 22mm 38mm ext
- 27mm flat

Range of safety wheel nut indicators for mining and civil compliance.



Wheel Chocks & Bracket

- 750mm rolling diameter
- 950mm rolling diameter
- 1400mm rolling diameter

With stainless steel quick release bracket.



Rear Folding Step, Pair, Fitted To Towbar

Folding step fitted to towbar/pair.



Rear Folding Step, STS Type, Fitted Over Towball

Hi-vis safety colour. Easily folds away to permit hitching of trailer. Assists safe access to rear tray area.




Rear Crossbar Platform Fixed Step, Fitted To Towbar

Hi-vis safety colour. Platform style step fitted around towball. Assists safe access to rear tray area and roof accessories.



Rear Fixed Step, 500x25mm


Hi-vis safety colour. Fitted in place of towball. Assists safe access to rear tray area and rear roof accessories.



GEN2 Side Step, Underbody

- 215mm (extra cab vehicle)
- 336mm (single cab vehicle)

Safety step fitted below tray with anti slip tread section. Suited to single and extra cab vehicles.



GEN2 Side Step, Underbody Dual Cab

Safety step fitted below tray with anti slip tread section. Suited to dual cab vehicles.



Grab Handle, Fitted To Body

- 200mm, black
- 300mm, safety yellow

Assists access to roof mounted accessories and when using underbody and rear steps.



Access Ladder

Foldable, rear-mounted roof access ladder.


Fridges & Slides



One-Click Medium Duty Slides


- W460 x L640mm
- W460 x L810mm
- W460 x L1050mm
- W690 x L520mm
- W690 x L810mm
- W690 x L1050mm
- W920 x L520mm

Compatible with Hidrive One-Click system. Improves the organisation and accessibility of your mobile workspace.



Fridge Restraint Kits

To suit all variants of One-Click medium duty slides.
Restraint kit sizing is suitable to the current Engel fridge or freezer and fridge/freezer Combi.




Work Bench Top

To suit all variants of One-Click medium duty slides.
Each One-Click medium duty slide has a compatible work bench top option, creating a uniform and organised mobile workspace.

	Engel™ Fridge Or Freezer <input type="checkbox"/> 14L <input type="checkbox"/> 57L <input type="checkbox"/> 32L <input type="checkbox"/> 60L <input type="checkbox"/> 39L <input type="checkbox"/> 75L <input type="checkbox"/> 40L <input type="checkbox"/> 80L <p>Proven Engel technology with Sawafuji swing motor.</p>		Fridge Transit Bags <input type="checkbox"/> 35L Fridge or Freezer <input type="checkbox"/> 38L Fridge or Freezer <input type="checkbox"/> 39L/40L Combi Fridge Freezer <input type="checkbox"/> 57L/60L Combi Fridge Freezer <input type="checkbox"/> 75L/80L Combi Fridge Freezer <p>Engel fridge bags protect fridges whilst on the worksite and in transit.</p>		Fridge Protection <p>Adjustable fridge protection - compatible with relevant Hidrive medium duty slides & fridge restraint kits.</p>
	Dometic™ Drawer Fridge, 30L <p>Compact drawer fridge with adjustable temperature from -2 deg to +12 deg.</p>		Drawer Fridge Protection Barriers <p>Protect drawer fridge on the worksite and whilst in transit.</p>		Dometic™, 33L Cool Ice Icebox With Restraining Bracket <p>Tough and easy to clean. Seamless construction with drain plug, includes restraining bracket.</p>
	Dropdown Fridge Slide <p>Provides a safe and easily accessible fridge height. Clearview Easy Slide® shown.</p>		Sideways Gas Bottle Slide <input type="checkbox"/> One-Click Slide: W460 x L1050mm Holds 3 x 300mm gas bottles <input type="checkbox"/> W460 x L640mm Holds 2 x 300mm gas bottles <p>Ergonomic slide out gas bottle restraint to allow safe access to gas bottles utilising One-Click slide feature.</p>		Work Bench Top <p>To suit all variants of One-Click medium duty slides. Each One-Click medium duty slide has a compatible work bench top option, creating a uniform and organised mobile workspace.</p>


Internal Storage



Tripod Rack

- 2 slot L1200 x W460 x H230mm
- 4 slot L1200 x W920 x H230mm

Tripod rack to accommodate either 2 or 4 tripods for safe storage of tripods.



Internal Roof Shelf, Mesh Panel Type

- L520 x W1210mm
- L750 x W800mm
- L980 x W800mm
- L1210 x W800mm
- L1475 x W800mm
- L1705 x W800mm
- L1935 x W800mm
- Custom

Modular, strong and lightweight construction makes economical use of internal roof storage space. Compatible with One-Click shelving.

1

One-Click Shelving, 3 Tier Kit

Available in a range of standard sizes, in single and double bay combinations. Sizes are designed for optimal compatibility with Hidrive service bodies and other internal fitout options. The shelving kits are compatible with the One-Click vehicle drawers, One-Click parts cabinets, mesh dividers and mesh roof shelves. This allows for consistent fitouts that provide secure and reliable storage for your equipment and materials. Each kit comes standard with three x shelves that can be easily adjusted to suit your requirements.

2

Length	Bays	Shelf Length
520mm	1	460mm
750mm	1	690mm
980mm	1	920mm
1210mm	1	1150mm
1475mm	2	690mm
1475mm	2 Unequal Bays	460mm 920mm
1705mm	2 Unequal Bays	690mm 920mm
1935mm	2	920mm

One-Click Tool Module Shelving Support/Divider


Intermediate shelving support. Accommodates One-Click adjustable Tool Module shelves.

Tool Module Adjustable Shelving

- W310mm x variable length
- W410mm x variable length

One-Click adjustable shelves for tool module & u module service bodies, compatible with One-Click drawers, parts cabinets and parts bin kits (not included).

Internal Storage Cont.



One-Click Vehicle Drawer

Compatible with Hidrive One-Click shelving and parts cabinet options. The drawers feature our One-Click single hand operation latch, a 20kg safe work load and are powder coated to ensure long-term durability.

	Tier	Width	Length	Height
1	1	460mm	475mm	135mm
2	1	690mm	475mm	180mm
3	1	920mm	475mm	180mm
4	1	460mm	475mm	270mm
5	1	460mm	810mm	270mm
6	2	460mm	475mm	270mm
7	2	690mm	475mm	270mm
8	2	460mm	810mm	270mm
9	2	460mm	475mm	315mm
10	4	460mm	475mm	495mm
11	4	690mm	475mm	495mm
12	4	920mm	475mm	495mm




Mechanics Drawer, 690x475x405mm, 4 Tier

- 3 x 70mm drawers
- 1 x 130mm drawers
- Commercial vehicle drawer unit.
- 4 drawers with heavy duty slides and latch operation.



One-Click IT Drawer Insert

Suits 460x475x85mm One-Click drawer. Provides safe and convenient storage for IT equipment or sensitive items. Also available in 690 and 920mm widths.



One-Click Vehicle Drawer Dividers

- 460 x 475 x 85mm Drawers
- 690 x 475 x 85mm Drawers
- 920 x 475 x 85mm Drawers
- 920 x 475 x 130mm Drawers
- 460 x 810 x 85mm Drawers
- 460 x 810 x 130mm Drawers

Steel drawer insert with multiple adjustable or removable divider positions.







One-Click Stackable Parts Cabinets

One-Click stackable parts cabinets are the ideal storage solution for small parts and consumables. With the removal storage trays featuring removable/adjustable dividers and an ergonomic carry handle, these cases allow you to take your materials with you, greatly improving efficiencies.

	Tier	Width	Length	Height
1	2	460mm	475mm	225mm
2	3	460mm	475mm	315mm
3	4	460mm	475mm	405mm
4	5	460mm	475mm	495mm

Internal Storage Cont.

 <p>Top Pan, Compatible with One-Click Drawer and Cabinet Units</p> <p><input type="checkbox"/> 460 x 475mm <input type="checkbox"/> 920 x 475mm <input type="checkbox"/> 690 x 475mm <input type="checkbox"/> 1150 x 475mm <input type="checkbox"/> 810 x 460mm</p> <p>Modular top pan, 40mm deep for storage of tools and equipment.</p>	 <p>One-Click, Lockable Compartment</p> <p><input type="checkbox"/> L460 x D400 x H270mm <input type="checkbox"/> L690 x D400 x H270mm <input type="checkbox"/> L1620 x D230 x H270mm</p> <p>Enclosed lockable box compatible with One-Click shelving.</p>		 <p>Sealed Gas Box</p> <p><input type="checkbox"/> W460 x D310 x H830mm <input type="checkbox"/> W460 x D380 x H630mm</p> <p>Gas bottle storage safety box, includes two adjustable gas bottle restraints. Sealed box is vented to outside atmosphere when installed.</p>	 <p>Accessory Hook, Roof Mounted</p> <p>– L100mm</p> <p>Convenient for storage for various tools of trade. Mounts on horizontal integrated Hidrive strut restraint rail.</p>	 <p>One-Click Accessory Hook Vertical Fixing</p> <p>– L100mm</p> <p>Convenient storage for various tools of trade. Mounts on One-Click shelving frame or integrated Hidrive strut restraint rail.</p>
 <p>Parts Bins With Removable Dividers</p> <p><input type="checkbox"/> L300 x W100 x H100mm <input type="checkbox"/> L300 x W200 x H100mm <input type="checkbox"/> L400 x W100 x H100mm <input type="checkbox"/> L400 x W200 x H100mm</p> <p>Parts bins to suit adjustable shelving. Available in kits to suit shelving kits or individually.</p>	 <p>Parts Tubs</p> <p><input type="checkbox"/> L430 x W323 x H127mm, 13.5L <input type="checkbox"/> L430 x W323 x H210mm, 22L <input type="checkbox"/> L645 x W413 x H200mm, 32L <input type="checkbox"/> L645 x W413 x H276mm, 52L</p> <p>Parts storage tubs, lids available separately.</p>	 <p>One-Click Adjustable Cable Reel Holder</p> <p><input type="checkbox"/> L460mm <input type="checkbox"/> L920mm <input type="checkbox"/> L690mm</p> <p>Cable reel holder to fit shelving bay, adjustable retainer bar position for various cable reel sizes.</p>	 <p>One-Click Vertical Fix Hose & Cable Hook</p> <p>Convenient for storage of cable and hoses. Mounts on One-Click shelving frame or integrated Hidrive strut restraint rail.</p>	 <p>One-Click Hygiene Station</p> <p>Convenient for onsite safety and hygiene. Includes three pump bottles. Mounts on One-Click shelving frame or integrated Hidrive strut restraint rail.</p>	 <p>One-Click Broom/Shovel Holder, Pair</p> <p>Storage for longer tools such as brooms, shovels and dog handling poles. Mounts on One-Click shelving frame or integrated Hidrive strut restraint rail.</p>
 <p>Internal Divider, Mesh Panel Type</p> <p><input type="checkbox"/> L520mm <input type="checkbox"/> L1475mm <input type="checkbox"/> L750mm <input type="checkbox"/> L1705mm <input type="checkbox"/> L980mm <input type="checkbox"/> L1935mm <input type="checkbox"/> L1210mm <input type="checkbox"/> Custom</p> <p>Internal dividing panel for safe easy internal space organisation and restraint. Compatible with One-Click shelving.</p>	 <p>Taper Divider, Mesh Panel Type</p> <p><input type="checkbox"/> L1700 x H850mm <input type="checkbox"/> Custom <input type="checkbox"/> L1700 x H950mm <input type="checkbox"/> L1900 x H850mm <input type="checkbox"/> L2050 x H850mm</p> <p>Internal dividing mesh panel with modular fixings. Designed to fit across service body.</p>	 <p>Full Panel Divider</p> <p><input type="checkbox"/> L600 x H1350mm <input type="checkbox"/> L1500mm <input type="checkbox"/> L900mm <input type="checkbox"/> L1800mm <input type="checkbox"/> L1200mm <input type="checkbox"/> Custom</p> <p>Full panel internal divider for safe easy internal space organisation and restraint.</p>	 <p>Custom Bunds</p> <p>Made to suit. Contains liquids for easy clean up and a compliant, professional mobile workspace.</p>	 <p>Composite Top With Tuffmat</p> <p><input type="checkbox"/> L920 x W475mm <input type="checkbox"/> L920 x W810mm <input type="checkbox"/> L1380 x W810mm <input type="checkbox"/> L460 x W1620mm <input type="checkbox"/> L920 x W1620mm</p> <p>Provides a protective drawer top surface to work from.</p>	

Work Area Accessories



Vice Covers

- Suits 100mm Vice
- Suits 150mm Vice

Heavy duty vice cover for protection of vice when not in use. Compatible with fold-down vice holder.



Fold Down Vice Holders

- With 100mm Vice
- With 150mm Vice


Engineers vice fitted to folding vice holder for easy compact storage.



Sliding Vice Holders

- With 100mm Vice
- With 150mm Vice

Engineers vice with sliding vice holder for safe and compact storage.



Flush Fold Down Workbench

- L460 x W350mm
- L1150 x W350mm
- L690 x W350mm
- L1380 x W350mm
- L92L x W350mm

Fitted inside door opening of body, folds away inside service body when not in use.



Floor Coverings



Rubber Matting

- 3mm Anti Slip Grip Pattern
- 6mm Solid
- 10mm holed

Heavy duty rubber mat. Profiled to suit service body floor area.

Carpet

Heavy duty marine carpet. Profiled to suit service body floor area or accessory surfaces where required.

Battery, Charge & Volt Control



AGM Dual Battery
DC Charger 12V
 100AH/20A



AGM Dual Battery
DC/Solar Charger 12V
 100AH/25A
 140AH/25A
 200AH/40A



AGM Dual Battery
DC/AC Solar Charger 12V
 140AH/30A
 200AH/30A



AGM Dual Battery
DC/Solar Charger 24V
 100AH/20A



Solar Panel
 50W
 80W
 120W
 180W

Solar Panel, Folding
 120W

Solar Blanket
 150W



240V Aux Battery Charger,
Victron 10A Charger

Allows charging of AUX battery system from 240V AC mains power supply.



Lithium Dual Battery
DC/Solar Charger 12V
 100AH/40A
 200AH/50A



Lithium Dual Battery
DC/AC Solar Charger 12V
 100AH/30A
 200AH/30A



Wet Cell Dual Battery
DC/Solar Charger 12V
 100AH/25A
Fitted under bonnet.
Landcruiser and Hilux only.



Battery Boxes
 L475 x W475 x H315mm
 L810 x W240 x H315mm
 L380 x W194 x H263mm
Robust Secure storage of your batteries.
Suitable for dual battery systems.



Jump Packs
 12V 680 CCA 4400 peak amps
 24V 340 CCA 2200 peak amps
Super duty portable jump starter installed with trickle charge from vehicle system.



Booster Cables
 750amp, 4.5m, surge protected
 900amp, 6.0m, surge protected
Premium heavy duty nitrile booster cable, fitted with 175A Anderson plug. Comes with carry bag.



REDARC Inverter
 350W
 700W
 1000W



REDARC Inverter, With RCD
 350W
 700W
 1000W




Battery Monitor, Wireless,
Hummingbird HMRF2000B
Monitor multiple batteries via remote colour screen with selectable alarm voltage parameters.

12V or 24V DC - 240V AC. REDARC pure sine wave with overload, short circuit and over temperature protection. Load controlled cooling fan. Includes cabling.

12V or 24V DC - 240V AC. REDARC pure sine wave with RCD, overload, short circuit and over temperature protection. Load controlled cooling fan. Includes cabling.



Plugs, Switches & Lockout



Jumpstart Receptacle

- Dual battery, 12V
- Dual battery, 12V + 24V
- Crank battery

Ideal for use on applications where access to battery terminals is restricted on the worksite or in remote locations.



Dual Battery Starter Override

In cab switch to override battery power.



Lockout Isolation Jumpstart Kit

Red code for battery isolation.
Yellow code for starter isolation.
Heavy duty battery and starter isolation lockout switch.



Isolation Switch, Battery, Red Lockout

- 175A
- 300A

Heavy duty battery isolation lockout switch. Red code for battery isolation.



Isolation Switch, Starter, Yellow Lockout

- 175A
- 300A

Heavy duty starter isolation lockout switch. Yellow code for starter isolation.



Anderson Plug Connectors

- 50A
- 350A
- 175A

Reliable connection for high amp DC power connections. Installation includes cabling and circuit protection.



Power Outlets

- Double CIG Socket, 12V 10A
- CIG and USB Socket, 12V 10A
- CIG and ENGEL Socket, 12-24V

Power output socket, active with ignition.



Trailer Plugs

Optional five pin, seven pin, twelve pin, and Anderson trailer plugs.



Hidrive Switch Module™ 4 way

In cab switching of electrical accessories, CANbus and OEM system compatible. Backlit touch panel with indicating LED and customised text on each switch for safe and easy operation.

Cameras & Sensors



Reverse/Dash Camera, Mirror Mount

- Standard Mount
- High Mount

Full screen hi-definition reverse camera with dual front & rear dash cam. Camera installation configured to function automatically in reverse. With manual override via button on screen to activate camera in forward gears.



OEM Reverse Camera

Integrated OEM reverse camera. Includes rear camera protection bracket.



Reverse Alarm

- Beeper, 97dB
- Broadband quacker, 92dB
- Smart reverse alarm, auto adjusts output to 10dB above surrounding sound level.

For site compliance and safety.



OEM Rear Cross Traffic Alert Re-position Kit


Reposition of: OEM reverse camera, OEM Reverse Sensors, Rear cross traffic alert (RCTA) / blind spot monitoring. Maintains functionality of OEM reverse sensors and cameras.

Positioning shown below.



Smartpark Commercial Reverse Sensors

Commercial safety reversing alert system for utes.



Security, Locking & Warning

Light, Lock & Go Kit

- Available for 1, 2, 3, 4 or 5 door service bodies
- Upgrade with security alarm

Includes central locking linked to vehicle system, LED interior lights, door ajar alert, & 12V double cig socket. A must for the busy service tech who is serious about a functional service body that is easily unlocked via the OEM vehicle remote.

Security Alarm, Fitted To Service Body

- 12V
- 24V

Includes security alarm protection to service body with entry point protection to doors and high intensity LED deterrent light in vehicle cab with siren alarm.

Central Locking

- 79 Series LandCruiser (vehicle upgrade)
- Service Body Only (separate remote)
- Service Body Only (use vehicle key)

Hand Brake Alarm Kit, Fitted

The REDARC Handbrake Alarm is used to monitor the handbrake switch and doorframe or accessory switch, providing audible and visual warning to the driver if the door is opened while the handbrake is not applied.

Door Ajar Alarm

- No handbrake sensor
- With handbrake sensor

In cab alarm sounds if ignition is activated when one or more doors are open. Can be wired with the handbrake to only sound when handbrake is disengaged.

Communications

UHF & Antenna Kit

- TX3100DP
- TX3500S
- XRS-330c
- TX3350

Fitted to Bullbar/Bonnet or service body roofbar.

Antennas & Cable

A range of UHF antenna kits available to suit your communication needs with different mount options available.

Tablet Cradle Kit


- 7" - 8" Tablet
- 9" - 10" Tablet
- 12" Tablet

Range of models available with compatibility to various devices and vehicles. Option to fit in the cab of vehicle or in the service body.

CEL-Fi Go Mobile Repeater, Telstra

Boost your connectivity with this kit, including 5G antenna, plus Wi-Fi repeaters in both the vehicle cabin and the service body.

Lighting

<p>Mine Bar With LED Beacon</p> <p><input type="checkbox"/> L1375mm bar <input type="checkbox"/> L1650mm bar</p> <p>Boost your mining and civil site compliance by adding options such as: LED strobe, signal lights, whip aerial, worklights, 97Dba reverse alarm.</p> 	<p>Mine Bar Options</p>  <p>LED Lighting. See p.70 Reverse Alarm Options. See p.65</p> <p>Aerial Options. See p.49 Beacon Options. See below</p>	 <p>LED Mini Strobe Flasher Module, 12-24V</p> <p><input type="checkbox"/> Red and Blue <input type="checkbox"/> Amber</p> <p>SAE Class 1, high intensity variable flash pattern, clear lens.</p>  <p>Door Safety Strobe Alert, 12-24V, Amber</p> <p>High intensity variable flash pattern mini strobe fitted to each end of door. Auto activation when door is opened.</p>
 <p>LED Beacon, Strobe, Round, 12-24V, Amber</p> <p><input type="checkbox"/> H65mm <input type="checkbox"/> H130mm</p> <p>SAE Class 1, high intensity variable flash pattern.</p>	 <p>LED Rotating Beacon, H155mm, 12-24V, Amber</p> <p>360 deg high intensity strobe beacon, variable selectable flash pattern.</p>	 <p>LED Combination Light, 12-24V, 160x40mm</p> <p>Auxiliary high mount LED compact tail lights with stop, tail, indicator, and reverse.</p>  <p>LED Arrow Bar, 1070mm, Amber</p> <p>– 12 - 24V input LED directional arrow bar, 8 flash patterns. Includes in cab controller.</p>  <p>LED Arrow Board, B Size, 1500mm, Amber</p> <p>– Single sided OR Double sided High intensity LED flashers, integrated raise/lower powered actuator, controller in cab with multiple display selector. Complies Aust. standards and NSW RMS.</p>
 <p>LED Flashing Minibar, 300mm, Strobe Type, 12-24V, Clear Lens, Amber</p> <p>SAE Class 1, high intensity variable flash pattern, clear lens.</p>	 <p>LED Flashing Lightbar, Strobe Type, 1200mm</p> <p><input type="checkbox"/> Red and Blue <input type="checkbox"/> Amber</p> <p>SAE Class 1, high intensity variable flash pattern, clear lens.</p>	 <p>LED Message Display, 590(W) x 140mm(H)</p> <p>– 10 - 30V input – Red display / Amber display High intensity optics, includes touchscreen controller and display.</p> 

Lighting Cont.



LED Worklight, Round

- 127mm, 39W, 2400lm
- 110mm, 27W, 1080lm

12 - 24V input. Flood pattern LED worklight includes stayput tilt & rotation base.



Driving Lights, Round

<input type="checkbox"/> LED	<input type="checkbox"/> Halogen
<input type="checkbox"/> HID	<input type="checkbox"/> LED/HID hybrid

Range of driving lights to meet fleet needs.



LED Worklight, Square

- 46W, Spot beam, 3756lm
- 120W, Flood beam, 9831lm

LED worklight includes stayput tilt and rotation base with options of spot or flood beams. 12 - 24V input.



LED Interior Strip Light

- 260mm
- 590mm

12 - 24V input. LED interior light with switch.



LED Driving Lightbar

- 250mm, 60W, 5400lm
- 500mm, 120W, 10800lm
- 750mm, 180W, 16200lm

High performance LED lightbar featuring combo beam pattern for optimum balance of projection and spread. Cree LED's produce super white light. EMI/EMC radio interference approved.



LED Auxiliary Reverse Light, 12-24V

Spot pattern LED auxiliary reverse light.



LED Worklight, Remote Control, 50W

– 12 - 24V input

Spot pattern remote control LED worklight, 360 deg rotation, 135 deg tilt, wireless controller, auto return to home when switched off.



KOLO - Key On, Headlights On

- 12V
- 24V

Key-on-lights-on function. Headlights on with ignition.



LED Daytime Running Lights, Pair

Increases daytime visibility.
ECE/ADR R87 approved.
Fitted front grill.



Signage & Wrapping for Utes, Trailers and Trucks.

Across the nation - or across town. Everything from reflective strips, call signs and compliance decals to a full vehicle/trailer wrap. Consistently deployed vehicle branding is a smart way to boost staff and client perceptions of your brand.

- Send out a positive message all year round, with high visibility
- Look sharp and smart
- Carefully considered & cost effective brand deployment



Vehicle Signage

Signage designs may include brand packaging, part and full wraps, compliance, decals and fixed term promotional details. View our Hidrive FleetBrand™ brochure for our range and design inspiration for vehicle signage.

Well-designed signage on your service vehicle fleet will increase brand recognition for your business. Our FleetBrand team are experienced design and installation professionals, who you can trust through the design, production, and installation processes.



Compliance Decals

<input type="checkbox"/> GVM	<input type="checkbox"/> Spill Kit
<input type="checkbox"/> Fire Extinguisher	<input type="checkbox"/> Call Sign
<input type="checkbox"/> 1st Aid	<input type="checkbox"/> Fleet/Unit No

Save headaches by discussing your compliance needs with a Hidrive Mobile Workspace Specialist.



Call Signs

Produced using fluorescent Yellow/Green Class 1 reflective material for side application. 260mm depth box size with 200mm depth text made to BMA specification.

Rear Call sign resized to suit workable space, produced from non-reflective material.



Chevrons

Produced using Yellow and Red Class 1 reflective material. Available in full or partial coverage to suit all service body types and sizing.



Conspicuity Tape

<input type="checkbox"/> White reflective tape to be used on front and sides of vehicles
<input type="checkbox"/> Fluorescent Yellow/Green reflective tape to be used on sides of vehicles
<input type="checkbox"/> Red reflective tape to be used on sides of vehicles
<input type="checkbox"/> Yellow reflective tape to be used on sides and rear of vehicles

50mm Class 1 hi-vis reflective stripe. Compliance for mine and civil sites.

SA Water's Fleet Transformation

The Client

SA Water provides services to around 1.7 million South Australians, supplying, removing and treating water and wastewater. Hidrive partnered with SA Water, Lend Lease and Service Stream to deliver this milestone project.

Needs Analysis

Two key problems were faced:

- Firstly, when updating the core fleet, SA Water was faced with vehicle supply issues as part of COVID-related global stock shortages
- Secondly, practices relying on excavators and big heavy equipment were to be replaced by "modern technology - Hydrovac units, blasting units... requiring a material change in the vehicle selection"

Solution

After listening and understanding all of the issues, Hidrive was able to recommend the design of two distinct types of purpose-built service bodies, tailored to the tasks SA Water crews deal with on a daily basis.

63

Fit-for-purpose Hidrive ute & truck service bodies delivered.

49

Water maintenance vehicle fitouts.

14

Rapid response maintenance vehicle fitouts.

100%

Delivery in full, on time, in under 5 months.

100%

Change to a more modern methodology for service delivery for SA Water.

100%

Satisfaction with Hidrive's quality, professionalism and communication.


"We fit it all in; we've had great feedback from the technicians and obviously Hidrive have been fantastic. Critical in keeping the project flowing was Hidrive's extensive experience."

See this video case study at: hidrive.com.au/case-studies/



"What Hidrive have done for Service Stream [SA Water] is deliver for our day one deadline. There aren't many body manufacturers that could deliver 63 vehicles in a timely schedule"

Michael Bourke - Service Stream PPEV Transition Lead





SUSTAINABILITY

Choose Hidrive for the lowest possible carbon footprint.

1. Whilst our structural warranty is 3 years, we know of bodies that have lasted 15+ years and must have done over 1 million kms. Many of our cheaper imported competitors are often cracked and rusting within 3 years, and often not in good enough condition to put on 2-5 utes or trucks. Hidrive service bodies are not fast fashion, they're made to last. Don't choose a service body that'll end up in landfill at the end of a 3-year lease.
2. Hidrives can be taken off one ute, and with a simple set of brackets, fitted to any brand of ute of similar size. There's a popular second-hand market ready to buy your Hidrive. Re-use is greener than recycling!
3. Hidrives are lighter so you burn less fuel and lower your CO2 emissions. Hidrive aluminium full canopies are often more than 100kg lighter than steel. For every 100 kg weight reduction, fuel consumption can decrease by 0.4L/100km for light trucks. That's 4000 litres (9 tonnes of CO2) potentially saved over the 1 million kilometres a Hidrive service body may be used for.*
4. Hidrives are lighter so your brakes and brake rotors last longer, again reducing your footprint.
5. Aluminium does not rust. This means less carbon footprint from reduced needs for re-painting for corrosion avoidance and to keep your fleet looking great.
6. Hidrives are made in Australia, for the lowest global shipping carbon footprint. From scratch we make service bodies, towbars, roof racks, shelves, drawers, sliders, fold-out benches and much more.
7. Your Hidrive body and all Hidrive manufactured accessories are made in Australia to last. That means less environmental impact of repair work, such as re-welding. We've made over 20,000 bodies and never had one returned with a structural crack, aside from accident damage.
8. We've manufactured thousands of Hidrive drawers. These typically last for 8+ years with zero need for repairs or parts replacements. Many of our competitors, even some big brands, reportedly have regular breakages. Waste less time and fuel driving back for repairs!
9. We're a one-stop shop, for lowest local shipping carbon footprint. Hidrive do more under one roof than anyone in our industry. Why ship your ute, trailer or truck to 5 different suppliers for signwriting, bull-bar fitment, lighting fitment, interior fitout etc?
10. We do not use fibreglass fibres or fibreglass resin at all. Fibreglass is not recyclable and presents pollution risks and risks to human health (especially during repairs.)
11. Hidrive follow ISO9001 quality standards for our recycling processes for all recyclable materials, such as metals and rubber - at all manufacturing and installation locations.
12. Hidrive's 50 year Recycling Guarantee - Anyone can return any Hidrive product to any Hidrive location and we'll ensure it is given to a reputable recycling service at no charge to you.

Ute Service Body Dimensions (mm)

UTE	 SINGLE CAB	 EXTRA CAB	 DUAL CAB	HEIGHT	WIDTH			
Tray Length	2400	2550	1950	2100	1650	1800	850, 900, 1000	1850*
 Full Canopy Length	2400	2550	1950	2100	1650	1800		
 Part Canopy Length	1200, 1350, 1500, 1650, 1800, 1950, 2100, 2250	1200, 1350, 1500, 1650, 1800, 1950, 2100, 2250, 2400	1200, 1350, 1500, 1650, 1800, 1950, 2100, 2250, 2400	1200, 1350, 1500	1200, 1350, 1500, 1650	1200, 1350, 1500, 1650		
 Tool Module Length	1200, 1350, 1500, 1650, 1800, 1950, 2400	1200, 1350, 1500, 1650, 1800, 1950	1200, 1350, 1500, 1650, 1800, 2100	1200, 1350, 1650	1200, 1350, 1500, 1800	1200, 1350, 1500, 1800		
 U Module Length	1500, 1650, 1800, 1950, 2400	1500, 1650, 1800, 1950, 2100, 2250, 2550	1500, 1650, 1800, 1950, 2100, 2250, 2550	1500, 1650, 1800, 2100	1650	1500, 1800		
 Animal Management Length	2400	2550	1950	2100	1800	900		

SERVICE BODY TRAILERS

We sell complete trailers registered & delivered anywhere in Australia. Options fitted with your choice of accessories.

We will listen, understand your trade and apply lessons learned to make the trailer you need to succeed, anywhere. The trailer chassis, floor and canopy are alloy to avoid rust, save weight, stay under your gross combined mass limit, reduce fuel costs and braking distances.

To ensure your trailer is fitted out for your purpose, the process starts with a free consultation with a Hidrive Mobile Workspace Specialist, which can be requested on 1300 350 625.

We supply trailers including the rolling chassis. We make the floor and everything above it. This minimises weight, waste and maximises space. No point having a trailer with two floors. It also enables us to reinforce key areas, such as for a crane mount.

We do not:

- Put service bodies on your trailer
- Sell our service bodies to be put on your trailer



TRUCK SERVICE BODIES

Hidrive service bodies are available for 4x2 & 4x4 trucks from 4.5t to 16t.

The service bodies sizes are tailored for your chassis with full canopy widths varying from 1900mm to 2400mm and lengths from 3300mm to 5850mm. The height of our full canopies can be up to 1400mm high.

The full suite of 190 groups of accessories are available to tailor your truck to your application.

To learn more and ensure your truck is fitted out for your application, the process starts with a free consultation with a Hidrive Mobile Workspace Specialist, which can be requested on 1300 350 625.





LET'S CHAT!

Save headaches for years to come.

Choosing vehicles, service body types, variations and accessories requires specialist advice. Perhaps you're still trying to decide between putting a service body on a ute or a trailer? Not sure how best to fit out your service body? Want to know what level of investment is required?

These are the type of questions we help our clients with - everyday.

Here are five reasons why booking a free consult with a Hidrive Mobile Workspace Specialist is a no-regrets move:

- 1 Your service body will be used for years to come. The right advice now will save you time and money.
- 2 You'll benefit from the lessons learned from over 20,000 other service bodies we've made since the 1990s. E.g. a VIC Electrician might be inspired by a Hidrive fitout in WA.
- 3 Whatever industry you're in, we're more likely than any other manufacturers to have experience tailoring service bodies for your industry and application.
- 4 Utes, trailers or trucks - we're here to understand your organisation and support you long term.
- 5 Without the best guidance, are you risking the safety, compliance, satisfaction, productivity or reputation of your business?



Chat with one of our helpful Mobile Workspace Specialists.

- **1300 350 625**
- team.aus@hidrive.com.au
- hidrive.com.au



Eastern Manufacturing, Installation & Showroom
17 O'Sullivan Pl, Goulburn NSW 2580



Brisbane Showroom & Installation
146 Crockford St, Northgate QLD 4013



Melbourne Showroom & Installation
57 Hunter Rd, Derrimut VIC 3026



Western Manufacturing, Installation & Showroom
18 Catalano Rd, Canning Vale WA 6155



Sydney Showroom & Installation
10 Garner Pl, Ingleburn NSW 2565



Adelaide Showroom & Installation
6 Wirriga St, Regency Park SA 5010

❖ MANUFACTURING,
INSTALLATION &
SHOWROOM

❖ INSTALLATION
& SHOWROOM

Hidrive has the sites and coverage nationally to ensure that our clients experience unsurpassed support.



**ON-TIME
GUARANTEE**

